

SHORT TENDER CALL NOTICE

Office of the D.G & I.G. of Police, Odisha, Cuttack

1. Sealed tenders are invited from the Original Equipment Manufacturers (OEM) or their Authorized Agent or from their Authorized dealers for purchase of the following Tentage items and Riot Control Materials for Odisha Police during the Current Financial Year, 2018-2019.

Sl. No.	Name of the item	Approximate Quantity
1.	Necessary Tent	20 Nos.
2.	Tent Extendable (2 Mtr. Unit) Shooting Pal Tent Category	15 Nos.
3.	G.S. Pal Tent PVC coated with all components and accessories	40 Nos.
4.	Shamiyana (30' x 30')	16 Nos.
5.	G.S. Pal Tent Cover	100 Nos.
6.	Durry Cotton Size (12' x 12')	90 Nos.
7.	Tarpaulin(14'x14')	90 Nos
8.	Tarpaulin(12'x12')	90 Nos
9.	Body Protector Set	300 Sets
10.	Poly Carbonate Shield	300 Nos.
11.	Poly Carbonate Lathi	1500 Nos.
12.	Anti Riot Gas Mask with Canister	40 Nos
13.	Pepper Spray	27 Nos

2. Name of items along with detail technical specifications, probable requirements against each item may be seen from the Web site of the Govt. of Odisha i.e. www.odisha.gov.in. The quantity may vary during indent of the items depending upon budgetary allocation.
3. Date of issue of tender documents from **dtd.12.9.2018 at 10.00 AM to dtd. 3.10.2018 up to 5.00 PM.**
4. Last date for receipt of sealed tender on **dtd. 4.10.2018 up to 5.00 PM.**
5. Date for opening of sealed tenders / technical bids on **dtd.5.10.2018 at 5.10.2018 AM** at the Office of the D.G. & I.G of Police, Odisha, Buxi Bazar, Cuttack.

**A.I.G. of Police (Provisioning),
Odisha, Cuttack.
(Tender Calling Authority)**

SHORT TENDER CALL NOTICE
Office of the D.G & I.G. of Police, Odisha, Cuttack
Tender Call Notice No.
Tender Document No.1

2. 1. Sealed tenders are invited from the Original Equipment Manufacturers (OEM) or their Authorized Agent or from their Authorized dealers for purchase of the following Tentage items and Riot Control Materials for Odisha Police during the Current Financial Year, 2018-2019.

Sl. No.	Name of the item	Approximate Quantity
	TENTAGE ITEMS	
1.	Necessary Tent	20 Nos.
2.	Tent Extendable (2 Mtr. Unit) Shooting Pal Tent Category	15 Nos.
3.	G.S. Pal Tent PVC coated with all components and accessories	40 Nos.
4.	Shamiyana (30' x 30')	16 Nos.
5.	G.S. Pal Tent Cover	100 Nos.
6.	Durry Cotton Size (12' x 12')	90 Nos.
7.	Tarpaulin(14'x14')	90 Nos
8.	Tarpaulin(12'x12')	90 Nos
	RIOT CONTROL MATERIALS	
9.	Body Protector Set	300 Sets
10.	Poly Carbonate Shield	300 Nos.
11.	Poly Carbonate Lathi	1500 Nos.
12.	Anti Riot Gas Mask with Canister	40 Nos
13.	Pepper Spray	27 Nos

2. Name of items along with detail technical Specifications, probable requirements against each item may be seen from the Web site of the Odisha Web site i.e. www.odisha.gov.in. The quantity may vary during indent of the items depending upon budgetary allocation.
3. The Tender Document may be obtained
- (a) On payment of Rs.500/- (Rupees Five Hundred) only between 10 AM to 5 PM on each working day from the office of the undersigned at the address given below.
- (b) By sending a self stamped (Rs. 80/-) envelope of size not less than 35 cm x 25 cm along with a Demand Draft non A/c payee of Rs. 500/- (Rupees Five Hundred) only payable at S.B.I. Main Branch, Cuttack drawn in favour of A.I.G.of Police (Provisioning), Odisha, Cuttack.
- (C) By downloading from Govt. of Odisha website i.e. www.odisha.gov.in.
4. The Tender documents shall be submitted in the office of the undersigned duly signed by the authorized signatory in each page and duly authenticated with seal in token of having read, understood and accepted the terms and condition of the contract. However in case of downloaded tender documents, a non A./C payee Demand Draft of Rs.500/- (Rupees Five hundred) only payable at SBI, Cuttack drawn in favour of A.I.G. of Police (Provisioning), Odisha, Cuttack towards cost of Tender Document shall be enclosed. Bids submitted otherwise than in the manner prescribed in the Tender Document shall be rejected.

5. Tender calling authority has the right to accept or reject the Tender(s) without assigning any reason thereof.
6. This tender shall remain valid for 1year from the date of finalization of approved bidder for any of the listed items by the purchase committee or till the next tender floated by the indenter for same item whichever is earlier.
7. Date of issue of Tender documents on dtd. **12.9.2018 at 10.00AM.**
8. Last date of Issue of Tender document on dtd. **3.10.2018 up to 5.00 PM.**
9. Last date for receipt of sealed Tender on dtd.**4.10.2018 up to 5.00 PM.**
10. Date for opening of sealed Tenders / Technical Bids on dtd. **5.10.2018 at 11.30 AM** at the Office of the D.G. & I.G of Police, Odisha, Buxi Bazar, Cuttack.
11. The concerned bidders are required to depute their representatives to remain present during opening of the received Tenders / Technical Bids on **dtd. 5.10.2018 at 11.30 AM** at the Office of the D.G. & I.G of Police, Odisha, Buxi Bazar, Cuttack.
12. The Tenders received after the stipulated date will not be taken into consideration and liable for rejection.
13. All disputes which may arise relating to tender are subject to judicial jurisdiction of the competent Court at Cuttack only.
14. It is to certify that this tender document **contains 33 pages.**

**A.I.G. of Police (Provisioning,
Odisha, Cuttack.
(Tender Calling Authority)**

ANNEXURE-A

APPROX. REQUIREMENT OF TENTAGE AND RIOT CONTROL MATERIALS TO BE PURCHASED FOR ODISHA POLICE UNDER NORMAL GRANT DURING THE CURRENT FINANCIAL YEAR, 2018-2019.

<<<<<<<>>>>>>>

Sl. No.	Name of the item to be purchased	Probable quantity to be purchased.
	TENTAGE ITEMS	
1	Necessary Tent	20 Nos.
2	Tent Extendable (2 Mtr. Unit) Shooting Pal Tent Category	15 Nos.
3	G.S. Pal Tent PVC coated with all components and accessories	40 Nos.
4	Shamiyana (30' x 30')	16 Nos.
5	G.S. Pal Tent Cover	100 Nos.
6	Durry Cotton Size (12' x 12')	90 Nos.
7	Tarpaulin(14'x14')	90 Nos
8	Tarpaulin(12'x12')	90 Nos
	RIOT CONTROL MATERIALS	
9	Body Protector Set	300 Sets
10.	Poly Carbonate Shield	300 Nos.
11.	Poly Carbonate Lathi	1500 Nos.
12.	Anti Riot Gas Mask with Canister	41 Nos
13.	Pepper Spray	27 Nos

Tender Call Notice No.**Tender Document No. II****GENERAL CONDITIONS OF THE CONTRACT**

1. The bidder/Supplier shall essentially be

a) An Original Equipment Manufacturer

or

b) An Authorised Agent of the OEM having running business in the tendered item with good business track record.

The bidder in proof of he being an OEM / Authorised Agent shall submit authenticated documentary evidence in this regard. The proof submitted earlier in some other context shall not be treated as valid and sufficient.

However, the above condition for the bidder / supplier to be an OEM or an Authorised Agent of the OEM shall be relaxed to the extend as indicated in condition Sl. No.26 of Special Conditions of Contract for the selected items as indicated in it.

Provided that Tender Calling Authority may waive one or more of the above conditions for one or more of the tendered items taking into consideration the nature, availability, requirement and price of the said item (s).

2. The tenders (also called bids), not submitted in prescribed format or in the prescribed manner, shall be rejected by the Tender Committee at the risk and responsibility of the bidder.
3. All the information as called for in the tender document should be submitted truly clearly, legibly, transparently, unambiguously and without the use of abbreviations. It shall be submitted in English.
4. All the crucial figures, like rates and amount should be written in figures followed by words in a bracket.
5. There shall be no over-writing in the tender document and other papers submitted. All the additions, alterations, deletions and cuttings should be initialed with rubber stamp (or seal) by the same person, who signs the tender document failing so, the tender may be rejected.

6. All the rates and amounts shall be quoted in Indian Rupees (IR) and shall be presumed to be in Indian Rupees unless specifically permitted to be quoted otherwise in this tender document. However an OEM located outside the country may quote its price in the Currency of the country to which he belongs but the same shall be converted to INR at the exchange rate prevailing on the date of opening of Tender and the same will be binding on both parties.
7. The rates quoted shall be valid for a period of one year counted from the last date of receipt of the bids or submission of tenders.
8. Each page of this tender document should be signed by the bidder with seal in token of having read, understood and accepted the terms and conditions of this contract.
9. For the Companies and Corporations making the bids, the tender document shall be signed by the Managing Director. If it is otherwise, the authority to sign the tender paper on behalf of the Company/ Corporation shall be enclosed. In case of partnership Firm, it shall be signed by the active Partner. In case of a proprietary Firm, the tender document shall be signed by the Proprietor.
10. "Legal Status" of a bidder shall mean either proprietorship or partnership or private/ public limited company or otherwise (to be specified), as the case may be.
11. All the documents and papers submitted with the bid should be either in English or in Odia and shall be authenticated under the seal and signature of the bidder unless specified otherwise in the tender document.
12. All the promotional and technical literature of the products intended to be supplied should be submitted for proper appreciation of the bid, whether or not; specifically called for in this tender document. This literature should also be in English or Odia.
13. Submission of more than one competitive bid by the same firm in response to the tender call notice is prohibited. All Such bids except one received first will be cancelled at the discretion of the authority calling the bids. A bidder may however, offer in his bid more than one product of the same Original Equipment Manufacturer (OEM), if in his opinion all such products meet the prescribed technical specifications. In that case, he should submit "technical bids" of all such products separately but in the same prescribed format, in the same sealed single cover. Separate "financial bids" should also be submitted similarly in the same sealed single cover (see below for the meaning of sealed cover).

14. The bidder may use separate piece of paper, where the space provided in the formats in this tender document for submission of information, is not sufficient. The information in the separate sheet of paper shall be in prescribed format and its page should be serially numbered and duly authenticated.
15. All the information submitted or supplied in the formats of this tender document shall be presumed to be true to the best of the knowledge of the bidder.
16. No firm/Company without valid Value **GST Registration number** and PAN shall be eligible for submitting bids. Firms blacklisted shall also not be eligible for participating in the bid.
17. Copy of Valid Registration Certificate issued by competent Authorities under the **GST Act** and copy of PAN shall be enclosed to the Tender document. In no case other certificates issued by authorities in lieu of such certificates shall be accepted.
18. Copies of income Tax return and Annual VAT and CST returns of previous year along with copies of Audited Balance Sheets, P/L a/c and Trading a/c of previous year where ever applicable need also be enclosed to the Tender document by the Original Equipment Manufacturer / Authorised Agent of OEM.
19. At the time of opening of Tender/Financial bid the bidder will have to satisfy the competent authority that he is not only authorised as per his Registration Certificates to deal in the tendered item but he has also a running business in such items and he has the ability to supply the tendered quantity in prescribed time limit and to meet the warrantee conditions of the product.
20. The bidders of Odisha will have to submit the GST Registration Certificate issued by the competent authority of Odisha along with the GST returns (GSTR-3B and GSTR-1) filed for the last tax period. Similarly the bidder from outside state will submit the GST Registration Certificate, copy of GST returns of last tax period and the affidavit enclosed as Annexure-D at the time of submission of tender.
21. The bid security (EMD), if called for, shall either be in the form of Demand Draft/ FDR / Banker's Cheque of a Scheduled Bank payable at Cuttack or by pledging of NSC/FDR/Postal Savings Pass Book, all in favour of A.I.G. of Police (Provisioning), Odisha, Cuttack. EMD shall be returned immediately after the rejection of a bid. The DD/FDR/ Banker's Cheque etc. shall be returned in original with or without reverse endorsement as required for the refund. EMD of the successful bidders shall be retained till the supplies are successfully delivered as per order or adjusted against "Performance Security" (defined on condition No.10 of Special Conditions of the Contract) as per conditions of performance security agreement.

22. **This tender document has prescribed a two-bid format for submitting the offers. It contains the “Technical” (Tender document No. V) and “Financial” (Tender document No.VI) bid formats. Both the bids shall be submitted in separate sealed covers identified as “Technical” or “Financial” bid after detaching their formats from this tender document. Both the sealed covers, the remaining part of this tender document including General Conditions of the Contract (Tender Document No. II), Special Conditions of Contract (Tender Document No.III), General Bid (Tender Document No. IV) and all Annexure A, B, C, D and E and all other papers/ documents should be put inside a bigger sealed cover and shall be delivered as per conditions published in the tender call notice. All the sealed cover shall have boldly written with the name of supplier/bidder, the tender call notice number and the last date for submission.**
23. No document as required and mentioned in the General/ Special conditions of contract shall be enclosed to the technical bid/ Financial bid documents unless otherwise specifically mentioned there in. All required documents shall be enclosed to the General bid proforma duly authenticated and serially numbered and page marked.
24. The tenders or the bids can be sent by Regd. with AD post or courier as well. However, the authorities shall not be responsible for the postal and other delays in receipt of bids.
25. If the last date for receipt of the tender/bid turns out to be a holiday, it will automatically be extended to next working day.
26. The tender calling authority shall make arrangements in his office for issuing a written acknowledgement, under proper seal and signature, of the filled in tenders, provided those are submitted on or before the due date. The acknowledgement shall be issued even if the Tenders are dropped in a sealed box. The acknowledgement receipt shall mention, among others, the tender call notice number.
27. A bid submitted cannot be withdrawn. The bidder or his authorized representative (one person only) will be allowed to be present at the time of opening of tenders. They will not participate in the discussions. Clarifications sought, if any may be provided by them.
28. All or any of the tenders (or bids) submitted can be rejected without assigning any reason thereof. No claim, whatsoever, shall be admissible for the alleged loss/damage suffered by the bidders on account of such rejections.

29. The Tenders/bids received in the prescribed time shall be opened by the tender committee at the prescribed date time and place. Any bid found incorrect or incomplete in any manner would be summarily rejected by the said committee.
30. The “Technical” bids shall be opened and scrutinized by the Technical Committee, only in respect of the bidders who have been found to fulfil all the prescribed criteria and conditions of this tender document other than technical specifications of the products. Only branded products shall be accepted unless otherwise mentioned in special conditions of the contract.
31. All the products, failing to fulfill the prescribed technical specifications, shall be rejected. Decision of the Technical Committee in this respect shall be final and binding. A bidder can improve the technical specifications of the product offered before the opening of “Financial bid” Decision of the Technical Committee on whether or not the revised specification is an improvement, shall be final. Improvement in the technical specification offered as above, may be accepted or not at the discretion of the tender calling authority. However, no preference or extra payment shall be admissible for superior technical specifications or quality or the like.
32. The bidder shall have to submit in separate paper mentioning complied or not complied against each column of the technical specification given in the tender document.
33. Notwithstanding an offered product meeting the prescribed technical specifications, it may be rejected, if it has not been tried and tested or used in Odisha Police with satisfaction. It may also be rejected if the bidder fails to successfully demonstrate its product before the Technical Committee.
34. “Financial bids” shall be opened only in those cases, where one or more of the offered products have fulfilled the prescribed technical specifications. All financial documents like Registration Certificate issued under **GST Act** and IT Acts, VAT clearance Certificate, IT and ST returns, Audited Balance sheet, Trading a/c and P/L a/c shall be verified at the time of opening of financial bids.
35. All the prices quoted shall be F.O.R., destination i.e. **Cuttack** which means that prices shall include the cost of delivery at destination if nothing otherwise is mentioned in the Special condition of contract.
36. The Purchase Committee shall discuss and deliberate on the past performance, experience, production capacity, financial strength etc. of the bidders/suppliers as

recommended by the Technical Committee, besides the rates quoted by them and select the L-I bid in most transparent manner, taking into consideration the relevant provisions of OGFR and Circulars and notifications issued by the Government of Odisha from time to time, so as to ensure that the purchases are effected in most prudent and economical manner, without compromising the prescribed quality, from the most eligible bidder.

37. Financial negotiations with firms other than the lowest bidder shall not be held without obtaining the prior approval of Government.
38. The authorities are not bound to accept the lowest financial bid.
39. The order for supply may be placed on the successful bidders but the technical specifications (or quality requirements) for the purpose of supply shall be those, which were offered and accepted by the Technical Committee and not those specified in the tender document. It shall not be necessary for the office of the D.G. & IG of police to place a single order for the entire requirement. Order for the same item but on identical terms and conditions may be placed by different wings of the office such that the total orders placed shall roughly correspond to the quantity mentioned in the tender document. The bills for payment shall be submitted, accordingly, on different wings placing the order.
40. On delivery, the supplies or products shall be inspected to verify the quantity and to see whether those are in accordance with the technical specifications (or quality requirements) for which the order was placed. If it turns out to be otherwise, the acceptance of delivery shall be refused at the risk and responsibility of the supplier. Further the articles found damaged shall not be counted as accepted until repaired or replaced to the satisfaction of the authorities.
41. Short / Part deliveries may not be accepted. All the items ordered must be supplied in full, for claiming even the part payment.
42. All the transit risk shall be the responsibility of the supplier.
43. User manuals of the product shall be supplied without being asked for and without being mentioned in the supply order. Moreover, it should be in English.
44. The supplier have to supply the indent within the time specified in the supply order. Failure to supply the indent in full within the stipulated period as mentioned in the supply order may

lead to forfeiture of EMD / Performance Security and blacklisting of the suppliers. If at all the delivery is allowed to be accepted after the due date, Liquidated Damages (LD) @ 0.5% of the total amount of order (excluding taxes) per week or part thereof shall be charged, however that the L.D. shall not exceed 5% of the amount of order.

45. The supplier shall submit an undertaking given by him or the OEM committing to supply spare parts for the maintenance of the supplies for a period of at least 1 (one) year from the date of delivery.
46. The supplier shall give a "Performance Warrantee" for a minimum period as mentioned at Sl.11 in the Special Conditions of Contract. The "Performance Security" may be forfeited partly or fully for failure to fulfill the terms and conditions of supply and post sales commitments/ obligations. The Bank Guarantee if furnished towards performance security should be enforceable and payable at Cuttack and shall be valid for the period of warrantee. (Performance Security has been defined on condition No.11 of Special Conditions of the Contract.)
47. All the clarifications sought from the bidders/ suppliers on technical specifications of the products or otherwise shall be promptly submitted in a transparent and unambiguous manner.
48. Terms & Conditions of the tender documents can't be negotiated for variation without obtaining prior approval of Govt.
49. Entire tender document, duly filled in, shall be treated as part of the contract agreement for supplies in case of the successful bidders and shall be submitted in original.
50. All the disputes shall be subjected to the jurisdiction of civil Courts situated at Cuttack/ Bhubaneswar.
51. The bidders shall submit all required documents along with tender. Under no circumstances a bidder would be allowed to make any addition / alternation in any document related to tender or to submit required documents after receipt of tender by the tender calling authority.
52. ***Deduction of Tax at source shall be made at the appropriate rate in the applicable cases where the total value of supply of taxable goods or services or both, where the total value of such supply, under a contract, exceeds two lakhs and fifty thousand rupees.***

53. Any objection / suggestion / complaint by any bidder with regard to tender shall be intimated in writing to the tender calling authority. The Chairman / Members of Technical / Purchase Committee would not entertain any correspondence / discussion in the above matter.

Seal & Signature of the bidder.

**A.I.G. of Police (Provisioning),
Odisha, Cuttack
(Tender Calling Authority)**

SPECIAL CONDITION OF THE CONTRACT

Short Tender Call Notice No.
Tender Document No. III

1. The Special Conditions given here shall prevail over the General Conditions.
2. **Bid Security (E.M.D.):** The tender document shall accompany with a Earnest Money Deposit (EMD) at the rate noted under col-5 against each item in Sl.No.3 below without which the tender shall be rejected. The Earnest Money Deposit should be made available in the form of DD/FDR/Banker's Cheque / NSC / Postal Savings Pass Book in a separate envelop along with the sealed covers of "Technical" and "Financial" bids. However, the local MSEs registered in Odisha with respective DICs, Khadi, Village, Cottage & Handicraft Industries, OSIC and NSIC while participating in tenders shall be exempted from payment of Bid Security (Earnest Money). The bidders who are registered with NSIC for manufacturing of the tendered items are also exempted from payment of Bid Security (EMD).
3. **QUANTITY:** Sealed bids in this tender document have been invited for the supply of the items listed below. The approximate quantity required has been mentioned against each. Detailed technical specifications of each item are available in the Annexure of "Special Conditions of the Contract" enclosed herewith.

Sl. No.	Particulars of the Item	Approx. quantity	Technical specifications	EMD (In Rs.)
1	2	3	4	5
	TENTAGE ITEMS			
1.	Necessary Tent	20 Nos.	Annexure-(B)	4,440.00
2.	Tent Extendable (2 Mtr. Unit) Shooting Pal Tent Category	15 Nos.	Annexure-(B)	7,950.00
3.	G.S. Pal Tent PVC coated with all components and accessories	40 Nos.	Annexure-(B)	22,250.00
4.	Shamiyana (30' x 30')	16 Nos.	Annexure-(B)	14,400.00
5.	G.S. Pal Tent Cover	100 Nos.	Annexure-(B)	8,500.00
6.	Durry Cotton Size (12' x 12')	90 Nos.	Annexure-(B)	2,250.00
7.	Tarpaulin(14'x14')	90 Nos	Annexure-(B)	30,600.00
8.	Tarpaulin(12'x12')	90 Nos	Annexure-(B)	27,000.00
	RIOT CONTROL MATERIALS			
9.	Body Protector Set	300 Sets	Annexure-(B)	12,000.00
10.	Poly Carbonate Shield	300 Nos.	Annexure-(B)	9,000.00

Sl. No.	Particulars of the Item	Approx. quantity	Technical specifications	EMD (In Rs.)
1	2	3	4	5
11.	Poly Carbonate Lathi	1500 Nos.	Annexure-(B)	3,300.00
12.	Anti Riot Gas Mask with Canister	40 Nos	Annexure-(B)	2,400.00
13.	Pepper Spray	27 Nos	Annexure-(B)	550.00

4. The quantities mentioned above are subject to variations. The rates quoted by the farms shall continue to be valid even if the quantities of items mentioned above are varied.
5. It shall not be necessary to bid for all the items mentioned above. The farms/companies may bid for one or more of the items depending on their convenience and submit E.M.D. accordingly. The items above do not necessarily consist of a single piece of equipment. It may be composition of inter-connected or inter-related appliances. Bidding is not permitted for the components obtained by splitting an item. Bidding is also not permitted for a part of the quantity of an item indicated above.
6. If any equipment/ item consists of different components, the bidder shall have to quote price for each component separately in the Financial bid in the prescribed format enclosed in the Tender document including installation charges, if any.
7. The bidder shall submit along with this tender document a list of names, complete addresses. Telephone/FAX numbers of the customers to whom, the items, for which the bid has been submitted, have been supplied and installed in last three years, if any. A clear unambiguous statement shall be made if an item has not been sold anywhere in India so far.
8. The supplies shall be delivered to the authorities at the place indicated below.

All items	Name of the Authority & his address	Quantity
	A.I.G. of Police (Provisioning), Odisha, Cuttack	As per supply order

9. The working of the equipment shall be demonstrated successfully and expenses incurred on demonstration shall be borne by the supplier.
10. The supplier shall organise training to acquaint the employees of the Organisation regarding operation of the equipment in their own cost.
11. **Performance Security:** The successful bidder shall have to enter into an agreement with the Tender Calling Authority for successful completion of supply / installation of the tendered items after proper inspection within stipulated period and also for performance warrantee of the items from the date of supply / installation up to a **period of one year**. In this regard bidder has to furnish the security deposit to be called "performance security" at the rate of 5% of the total amount of the order excluding all taxes in the form of NSC/ Post office saving bank A/C / FDR / Bank guarantee from any national bank duly pledged in favour of tender calling Authority. However, the local MSE bidder, if selected, shall be required to pay 25% of the value of performance security.

12. Not with standing anything contained in the General Conditions of contract a new / fresh brand of product / equipment not tried, tested and used in Odisha Police may be accepted subject to meeting the prescribed technical specification and approval of Technical Committee.
13. All the supplies made shall be subject to a minimum period of warrantee **of one year**.
14. The supplier shall repair or replace at his cost any component of the supplies that may go out of order during the warranty period. The repair and replacement shall as far as possible be carried out within the premises, where the equipment has been installed. It, however, it is necessary to take the equipments to the workshop of the supplier, it must be repaired and re-installed successfully in its premises within 48 hours counted from the time service call is placed. Failing so, replacement equipment in working condition shall be supplied till return of the equipment.
15. If an equipment or supply goes out of order within the warranty period and the supplier is informed about it, it must be attended to within 48 hours counted from the time service call is placed.
16. Pre-delivery inspection: Not required.
17. PAYMENT: No advance payment shall be made. 100% of the payment will be made on delivery of supplies, successful installation and demonstration subject to clause 10 above.

18. SAMPLE / DEMONSTRATION:

- (a) The Tenderers are required to submit samples of the following quoted items along with the tender.

1	G.S. Pal Tent Cover
2	Durry Cotton Size (12' x 12')
3	Tarpaulin(14'x14')
4	Tarpaulin(12'x12')
5	Body Protector Set
6	Poly Carbonate Shield
7	Poly Carbonate Lathi
8	Anti Riot Gas Mask with Canister
9	Pepper Spray

- (b) With regards to following items, the firms need not submit sample along with their bid / offer but they shall demonstrate the quoted sample for inspection / consideration by the Technical Committee during its meeting.

1.	Necessary Tent
2.	Tent Extendable (2 Mtr. Unit) Shooting Pal Tent Category
3.	G.S. Pal Tent PVC Coated with all components and accessories
4.	Shamiyana (30' x 30')

Whoever does not submit sample for evaluation, or does not give demonstration as per our above directions, their tender shall be rejected.

19. The tenderer may also submit their samples at the place of holding of the Technical Committee Meeting on or before 10.30 AM on the date of holding of the Technical Committee Meeting. The date of holding of the Technical Committee Meeting shall be intimated to the bidders by the Chairman of the Technical Committee / Member Convener.
20. The bidders of Odisha will have to submit the GST Registration Certificate issued by the competent authority of Odisha along with the GST returns (GSTR-3B and GSTR-1) filed for the last tax period. Similarly the bidder from outside state will submit the GST Registration Certificate, copy of GST returns of last tax period and the affidavit enclosed as Annexure-D at the time of submission of tender.
21. The selected Tenderers will have to enter into an agreement with the Tender Calling Authority. The agreement bond form duly filled in indicating the amount of "Performance Security" at the required rate as mentioned above and signed by the Tenderer with the attestation and common seal affixed with special adhesive stamp **(Non-Judicial) not less than worth of Rs.10/- (Rupees Ten) only should be submitted within 15 days on receipt of information from State Police Headquarters, Odisha, Cuttack. The first page of the Tender Agreement should be written on non-judicial stamp paper of Rs.10/- if stamp paper of Rs.10/- denomination is not available, a no. of small denomination may be used in that place.**
22. The sample of the article selected will be retained in State Police Headquarters as the "Approved Sample" and no cost for such sample is payable.

**AIG of Police (Provisioning)
Odisha, Cuttack**

Seal and Signature of the bidder

Signature of the Tender Calling Authority
(With Seal)

ANNEXURE-B**SPECIAL CONDITIONS OF CONTRACT (REF SL. NO.3)**
TECHNICAL SPECIFICATIONS

Sl. No.	Name of the item	Technical specification
1	Necessary Tent	A single Fly Necessary Tent of Size 8' x 6' of Poly PVC Coated Nylon Heavy Duty Fabric of 430 gsm fire retardant Fabric. Two windows for ventilation of 1' x 1' on diagonal sides of the Tent above the walls. The Tent will be provided with G.I. poles and Ridges of 32 MM OD and 1.6 mm thickness. Tent will be fitted with guy ropes and will be supplied with Iron Hammer required for pitching of the Tent.
2	Tent Extendable (2 Mtr. Unit) Shooting Pal Tent Category	Shooting Pal Tent size-12' (L) x 12' (W) x 8'.6" (Inner side height) Outer side height 9'.3"x 2feet wall height. A double fly tent with weather hood and over lapping pardaha at both end attached permanently to the outer fly walls on either side permanently attached to the inner fly. Inner fly made of two folds of cloth. <u>Inner Fly.</u> Liner inner made from fabric Green 205 GSM Polyester viscose blended dope dyed. <u>Outer Fly</u> Made out of Poly PVC coated nylon heavy duty fabric of 430 GSM fire retardant fabric. Iron picket- 2ft x 25mm x 5mm Iron Hummer with handle- Without handle weight 2 kg. G.I. Pole- 42 MM OD of 1.6 mm thickness.
3	G.S. Pal Tent PVC coated with all components and accessories	G.S. Pal tent size-14' (L) x 14' (W) x 8'.6" (Inner side height) 9'.3" x 2 feet (outer side wall height). A double fly tent with weather hood and over lapping pardaha at both end attached permanently to the outer fly walls on either side permanently attached to the inner fly. Inner fly made of two folds of cloths. <u>Inner Fly</u> Liner inner made from fabric Green 205 GSM Polyester viscose blended dope dyed and grey canvas cloth. <u>Outer Fly</u> Made out of Poly PVC coated nylon heavy duty fabric of 430 GSM fire retardant fabrics. Iron picket- 2ft x 25mm x 5mm Iron Hummer with handle- Without handle weight 2 kg. G.I. Pole- 42 MM OD of 1.6 mm thickness.
4	Shamiyana (30' x 30')	i) 30 ft x 30 ft. Samiyana fully decorated ceiling with cross ropes (Cotton twisted) and with canvas bound corners for both the sides. It should be made of 2 folds of cloth, outer layer Olive Green (OG) colour water proof cloth and inside elegantly printed cloth. It should have 2 ft. long thick Jhalar on all four sides.

Sl. No.	Name of the item	Technical specification
		<ul style="list-style-type: none"> ii) Multi colour decorated Samiyana Wall of 30 ft x 6 ft. 3 nos with System for easy/ beautiful binding with the poles. iii) 12 nos. of seasoned bamboo poles each of 12 ft height, 10 cm iv) Diameter with 6 inch long, 12 mm thick Nails bound with aluminum Tin sheets of 6 inch width and painted in green. The four corner poles shall have an aluminum base plate of 4 inch diameter with proper locking system. iv) Cotton twisted ropes of 20 ft. long and 15 mm diameter 12 nos. each. v) Iron pickets (angular) of 3 feet long and 7 mm thick with a pointed end 12 nos. each. Tolerance against dimensional parameters vi) Bamboo Pole <ul style="list-style-type: none"> a. Diameter – 10 cm \pm 1 cm b. Length of nail – 6 inch \pm ½ inch c. Diameter of the Nail – 12 mm \pm 2 mm vii) Cotton twisted Rope <ul style="list-style-type: none"> a. Diameter – 15 mm \pm 2 mm b. Angular Iron Pickets c. Length – 3 ft \pm 2 inch d. Thickness – 7 mm \pm 1 mm.
5	G.S. Pal Tent Cover	<ul style="list-style-type: none"> i. Product : Both side PVC coated Polyester Fabric ii. Base Fabric: Made out of high Tenacity Polyester filament yarn. iii. Weave : Plain iv. Coating material : Non Foam PVC v. Finish : Semi Bright vi. Colour : Blue vii. GSM : 390 \pm 30 gms. viii. Thickness : 0.35 mm (minimum) ix. Width : Size (16' x 20') x. Breaking Strength (Warp) : 200 kg.f minimum xi. Breaking Strength (Weft) : 190 kg.f minimum xii. Tear Strength (Warp) : 25 kg.f minimum xiii. Tear Strength (Weft) : 25kg.f minimum xiv. Adhesion of PVC to Base Fabric (Warp) : 3.5 cm minimum xv. Adhesion of PVC to Base Fabric (Weft) : 3.5 cm minimum xvi. Water Proofing @ 100 High pressure : No leak xvii. Odisha Police Logo shall be printed in the corner of the Tent Cover Size : 1' x 1' and Colour : White xviii. (a) Eyelets on edges in width side (16 ft. width edge on either side) (b) 5 nos. on each side edge with spacing of 4 feet between each of them. (c) Eyelets at middle of length side of 20 ft (to be placed on top edge of GS Pal Tent when pitched) 5 nos. of eye lets at the following distance from one edge: Zero feet (edge), 1 feet, 8 feet, 15 feet and 16 feet (other edge). 10 nos. of Nylon rope of 6 ft. length and 8 mm thickness and 2 nos. of Nylon ropes of 12 ft. length and 8 mm thickness should be provided to facilitate tying up

Sl. No.	Name of the item	Technical specification
		the eyelets with tent pickets.
6	Durry Cotton Size (12' x 12')	The Durry should be made of good quality cotton.
7	TARPAULIN (14' x 14')	<ul style="list-style-type: none"> i. Size – 14' x 14' approx. ii. PVC Coated Heavy Duty Synthetic Tarpaulin iii. GSM:- 430 ± 5% iv. Tarpaulin should be Fire Retardant v. Tarpaulin should be Heat Sealed with Metal Eyelets all around very high tear strength vi. Long Shell Life, vii. Complete protection from UV and Rot proof, viii. 100% Waterproof
8	TARPAULIN (12' X 12')	<ul style="list-style-type: none"> i. Size – 12' x 12' approx. ii. PVC Coated Heavy Duty Synthetic Tarpaulin iii. GSM:- 430 ± 5% iv. Tarpaulin should be Fire Retardant v. Tarpaulin should be Heat Sealed with Metal Eyelets all around very high tear strength vi. Long Shell Life, vii. Complete protection from UV and Rot proof, viii. 100% Waterproof
9	Body Protector Set (Jacket with two nos. Shin Guard and one no. Arm Guard)	<ul style="list-style-type: none"> i) Physical protection against brick batting, cane/knife attack and projectiles encountered in riot situation. ii) Special fire retardant, high impact resistance rubber inserts. iii) Cloth of Jacket should be made of good quality fire retardant gabardine jungle patch (Camouflage) cloth GSM 230 ± 5% and weave twill 3/1. iv) It should have 2 mm thermally formed Poly Carbonate sheet for front and back pouches with trauma pads. v) Elbow and shin guards should be ergonomically designed to protect limbs during riot/mob situation. vi) Impact attenuation above 80%. <u>Physical Dimension:</u> <ul style="list-style-type: none"> a) Total length : 140 cm (± 5%) b) Shoulder : 44 cm (± 5%) c) Collar : 42 cm x 35 cm (±5%) d) Pocket size : 28 cm x 35 cm (± 5%) e) Weight : less than < 3.5 kgs.
10	Poly Carbonate Shield	It should be have MK-II (oval shaped) thermoformed poly carbonate shield edges rounded with rubber bead/lining to provide protection against brick batting, stone pelting, iron rod, knife, cane attack during riot/ mob situation. On the middle part of the shield, the word "POLICE" should be written in red fluorescent letter with white background of size having 15 cm x 50 cm and size of each letter should be 11 cm height. It should have an extra reinforced Poly Carbonate stab of curved shape 30 cm width between the

Sl. No.	Name of the item	Technical specification
		<p>Shield and padding in the middle portion. This reinforced PC stab should be joined with the Shield with 3 to 4 nut bolts at both the edges. The rectangular cushioning Pad, the handgrip with the Velcro adjustment tape and the nylon carrying strap adjustable should all be fixed to the backside of the reinforcement PC stab by nut bolts. All the nut bolts should have proper rubber/polyurethane cushioned bush, rubber/polyurethane washers and metal split locking washers on either side for better shock protection.</p> <p><u>Physical Dimension:</u></p> <p>i) Shape - Rectangular (Thermoformed) ii) Dimension - 610 x 900 mm (\pm 10mm) iii) Thickness - 3 to 3.5 mm iv) Weight - 3.2 kg (\pm 200 gms)</p>
11	Poly Carbonate Lathi	<p>It should be polycarbonate, unbreakable and light weight. The end should be covered by polycarbonate end caps. It should have handgrip with Nylon rope to hold smoothly.</p> <p>i) Total Length : 1 meter (\pm 2 cm.) ii) Handgrip : 15 cm long with Nylon rope iii) End Cap : 10 cm (Plain) iv) Diameter : 25 mm v) Thickness : 3 mm (\pm 0.1 mm) vi) Raw materials : Poly Carbonate vii) Weight : 300 gms (\pm 10 gms) viii) Colour : Khaki</p>
12	Anti Riot Gas Mask with Canister	<p>i. Weight:- Approx 600 grams (without canister) ii. Face Mash:- a) Mask consists of face piece, inner mask exhalation valve system, connector, harness system & inbuilt visor. b) face piece has an inbuilt anti-fog visor. c) The mask is fitted with panoramic visor of universal size and gives maximum peripheral vision and wearer recognition. d) visor provides wide field of view, approx 90-120 e) Mask adjusts on the faces of different users. f) Mask doesn't hinder the use of personal weapon and is compatible with other tactical equipment uses in field operations like communication devices, Bullet proof helmet etc. g) Mask connects with canister firmly. h) Inner mask has two control valves, one to orals other to nasal end. i) It is designed in such a way that there would be no lances fogging in low temperature or high humidity conditions. j) The mask is made up of polyester and other superior materials which enhance the wearer comfort so that it can be worn for long periods. The material resists chemical attack and temperature extremes, withstand rugged daily used, impact resistant and comfortable fit.</p> <p>iii. Canister a) Approx. 300 grams. b) The filter canister in connection with suitable respirator provides</p>

Sl. No.	Name of the item	Technical specification
		<p>protection against solid and liquid particles, pepper spray (OC), Smoke producing substances, radioactive particles, bacteria and rickettsia, fungi, toxins, viruses, Riot control agents (law enforcement), such as bromoacetone, CS, CR, CNC,CNS, CA substances organic compounds of arsenic - diphenyl- diclorarsine –CLARK I(DA) , diphenyl Cyano arsine methylchlorarsine CLARK II(DC), adamsite (DM), diphenyl diclorarsine (DA) , Ethyldicloroarsine (ED) , methylchlorarsine (MD) , and vapors of organic substances with a boiling point above 65° etc.</p> <p>iv. Canister Specification:- The Canisters are certified in accordance with EN 14387 :2004+AI:2008 with NSN(Natol Stack Number):- 424016AB21988 OF 07 4240160041411 NBC-3/SL</p> <p>v. Shelf Life:- Approx 5 Years.</p>
13.	Pepper Spray	<p>The Pepper Spray made by 100% Natural Ingredients i.e. Oleoresin Capsaicin (O.C). It Should be tested by Any Governing Agency like State Police/ CRPF / BSF /MHA / Indian Navy / Indian Army or any competent Authority.</p> <p>i. Can Type: a) Monocular Block Aluminum Can b) Bare can Dimension: 35X85mm. c) Bare can W/V 70ml.</p> <p>ii. Active Ingredient:- Oleoresin Capsaicin</p> <p>iii. Value Type:- Very High Discharge rate</p> <p>iv. Propellant Deodorized:- Hydrocarbons.</p> <p>v. Cap & Nozzle:- 2Piece Integrated Cap & Nozzle</p> <p>vi. Effective Spray Distance:- Min 18 to Max 20 Feet</p> <p>vii. Net Weight/Capacity:- 35g/55ml</p> <p>viii. Discharge Rate:- Not Less than 10 g per second</p> <p>ix. Spray Pattern:- Forced Cone</p> <p>x. Accessories:- Belt pouch/Holster</p>

**Tender Call Notice No.
Tender Document No.IV**

1. Name
Full Address.
Fax No.
Telephone No.
E-mail of the firm.
2. Legal status of the firm.
3. Items for which you have submitted the bid.
4. For which of the items above you are the Original Equipment Manufacturer (OEM)
5. Give the location and Address of your factory.
6. For the items listed at (3) above and where You have submitted the bid but you are not The OEM, indicate against each of the names Of the OEM.
7. Kindly confirm by writing ' Yes ' or ' No ' only that you have been authorized by the respective OEMs either as dealer or as sale, supply and Servicing agent in respect of the items you are not the OEM.
8. Which of the items, you have submitted the Bids for, will be fully or substantially imported, Indicate the country to be imported from.

9. Have you enclosed the EMD? If yes, mention the amount and its identifying details.

10. Have you enclosed all the documents and Papers called for in this tender document? As per **Annexure-C** (please enclose the documents serially as per above Annexure).

11. If the answer to (10) above is No
Which of the documents / papers called for in the tender document have not been enclosed.
(Kindly enclose a list of such documents/papers)
(Use a separate sheet of paper if necessary)

12. Do you have a Post Sales –Servicing Centre in Odisha? If yes, give its Name Full Address, Fax and Tel. Nos.

Seal and Signature
of the Bidder.

**A.I.G. of Police (Provisioning),
Odisha, Cuttack
Seal and Signature of the
Tender Calling Authority.**

**Check List of documents to be enclosed to
General bid Form
(Reference Sl. 23 of General Conditions of contract)**

Sl. No.	Reference SL. Of General conditions of contract	Nature and Type of document	Whether enclosed (with page reference)	
			Yes / No	Page ref
1	2	3	4	
I	1	Proof of OEM (i.e. Certificate issued by Industries department, GST authorities, Registrar of companies) / Authorised Agent of OEM (i.e. Certificate issued by the OEM)		
II	12	Promotional and Technical literature relating to the items tendered		
III	17	Valid Registration certificate issued under GST Act and Income Tax Acts by competent Authorities.		
IV	18	IT Returns, copy of last GST returns filed, Balance Sheet, P/L a/c and trading a/c (All document mentioned above must relate to the previous year i.e. 2017-18) and PAN Card.		
V	20	a) Copy of GST Registration Certificate. b) Affidavit in prescribed format by the suppliers of outside Odisha declaring that they have no business in Odisha nor they have any OGST liability (Annexure-D).		
VI	21	EMD of Rs.----- in shape of BD/BC/NSC/FDR/Postal savings Pass Book		
VII	22	Technical bid (i.e. Tender Document No.V) & Financial bid (i.e. Tender Document No.VI) should be separately sealed in two covers and over them it should be clearly mentioned as Technical / Financial Bid with name of the firm and Signature of the Bidder.		
VIII	36	Proof of past performance regarding supply of tendered item to Government organisation/PSUs i.e. copies of supply order/sale invoice (as per Annexure-“E” in line with special condition of Contract Sl. No.6).		
IX	45	Undertaking to supply spare parts for maintenance of items for 10 years if selected for supplying the tendered item.		

Signature & Seal of the bidder

ANNEXURE-D**PROFORMA FOR SUBMISSION OF AFFIDAVIT IN RUPEES OF TEN OF INDIA NON JUDICIAL STAMP PAPER BY THE FIRMS WHO ARE NOT REGISTERED UNDER GST ACT.**

I _____, aged about _____ years son of Sri _____, the Proprietor of M/s _____ do hereby solemnly affirm and declares as under:

1. That I am the deponent of this affidavit.
2. That I do hereby declare that I have not been registered under the GST Act and have not started any business in the State of Odisha till yet & we have no liability under the GST Act.
3. I am a registered dealer of the _____ State having GST No. _____ and I am enrolled under the State / Central GST authority of _____ (place). I am authorized to deal in the _____, _____, _____, _____ items (quoted).
4. That I swear this affidavit to be produced before the concerned authority for future reference and record.
5. That the facts stated above are true to the best of my knowledge and belief and nothing has been concealed thereon.

Identified

Advocate

Deponent

The above named deponent being identified by Shri _____

Advocate _____ solemnly affirm and states before me that the contents of this affidavit are true to the best of his knowledge.

Dt.

Notary: _____
(With Seal Stamp)

ANNEXURE-E

**Checklist of documents to be submitted with General Bid form
(as per special Conditions of Contract)**

SL No.	Reference SL of Special condition of contract	Nature and Type of document	Whether enclosed	
1	2	3	4	
1	6	List of names, complete address, Telephone numbers of customers to whom the tendered item had been supplied during last 3 years	Yes / No	Page Ref.

Signature and Seal of Bidder.

TECHNICAL BID FORMAT**Tender Call Notice No.****Tender Document No.-V**

Sl. No.	Name of the item	Technical specification	Whether offered product fulfils the detailed Technical Specifications, Kindly answer. Yes or No only.	Offered specifications and details of deviations if any. (Separate paper indicating details in case of major deviations to be attached)
1	Necessary Tent	A single Fly Necessary Tent of Size 8' x 6' of Poly PVC Coated Nylon Heavy Duty Fabric of 430 gsm fire retardant Fabric. Two windows for ventilation of 1' x 1' on diagonal sides of the Tent above the walls. The Tent will be provided with G.I. poles and Ridges of 32 MM OD and 1.6 mm thickness. Tent will be fitted with guy ropes and will be supplied with Iron Hammer required for pitching of the Tent.		
2	Tent Extendable (2 Mtr. Unit) Shooting Pal Tent Category	Shooting Pal Tent size-12' (L) x 12' (W) x 8'.6" (Inner side height) Outer side height 9'.3"x 2feet wall height. A double fly tent with weather hood and over lapping pardaha at both end attached permanently to the outer fly walls on either side permanently attached to the inner fly. Inner fly made of two folds of cloth. Inner Fly. Liner inner made from fabric Green 205 GSM Polyester viscose blended dope dyed. Outer Fly Made out of Poly PVC coated nylon heavy duty fabric of 430 GSM fire retardant fabric. Iron picket- 2ft x 25mm x 5mm Iron Hummer with handle- Without handle weight 2 kg. G.I. Pole- 42 MM OD of 1.6 mm thickness.		
3	G.S. Pal Tent With all components and accessories	G.S. Pal tent size-14' (L) x 14' (W) x 8'.6" (Inner side height) 9'.3" x 2 feet (outer side wall height). A double fly tent with weather hood and over lapping pardaha at both end attached permanently to the outer fly walls on either side permanently attached to the inner fly. Inner fly made of two folds of cloths. Inner Fly Liner inner made from fabric Green 205 GSM Polyester viscose blended dope dyed and grey canvas cloth.		

Sl. No.	Name of the item	Technical specification	Whether offered product fulfils the detailed Technical Specifications, Kindly answer. Yes or No only.	Offered specifications and details of deviations if any. (Separate paper indicating details in case of major deviations to be attached)
		<p>Outer Fly Made out of Poly PVC coated nylon heavy duty fabric of 430 GSM fire retardant fabrics. Iron picket- 2ft x 25mm x 5mm Iron Hummer with handle- Without handle weight 2 kg. G.I. Pole- 42 MM OD of 1.6 mm thickness.</p>		
4	Shamiyana (30' x 30')	<p>i) 30 ft x 30 ft. Samiyana fully decorated ceiling with cross ropes (Cotton twisted) and with canvas bound corners for both the sides. It should be made of 2 folds of cloth, outer layer Olive Green (OG) colour water proof cloth and inside elegantly printed cloth. It should have 2 ft. long thick Jhalar on all four sides.</p> <p>ii) Multi colour decorated Samiyana Wall of 30 ft x 6 ft. 3 nos with System for easy/ beautiful binding with the poles.</p> <p>iii) 12 nos. of seasoned bamboo poles each of 12 ft height, 10 cm</p> <p>iv) Diameter with 6 inch long, 12 mm thick Nails bound with aluminum Tin sheets of 6 inch width and painted in green. The four corner poles shall have an aluminum base plate of 4 inch diameter with proper locking system.</p> <p>iv) Cotton twisted ropes of 20 ft. long and 15 mm diameter 12 nos. each.</p> <p>v) Iron pickets (angular) of 3 feet long and 7 mm thick with a pointed end 12 nos. each. Tolerance against dimensional parameters</p> <p>vi) Bamboo Pole</p> <p>a. Diameter – 10 cm \pm 1 cm b. Length of nail – 6 inch \pm 1/2 inch c. Diameter of the Nail – 12 mm \pm 2 mm</p> <p>vii) Cotton twisted Rope</p> <p>a. Diameter – 15 mm \pm 2 mm b. Angular Iron Pickets c. Length – 3 ft \pm 2 inch d. Thickness – 7 mm \pm 1 mm.</p>		
5	G.S. Pal Tent Cover	<p>i. Product : Both side PVC coated Polyester Fabric</p> <p>ii. Base Fabric: Made out of high Tenacity Polyester filament yarn.</p>		

Sl. No.	Name of the item	Technical specification	Whether offered product fulfils the detailed Technical Specifications, Kindly answer. Yes or No only.	Offered specifications and details of deviations if any. (Separate paper indicating details in case of major deviations to be attached)
		iii. Weave : Plain iv. Coating material : Non Foam PVC v. Finish : Semi Bright vi. Colour : Blue vii. GSM : 390 ± 30 gms. viii. Thickness : 0.35 mm (minimum) ix. Width : Size (16' x 20') x. Breaking Strength (Warp) : 200 kg.f minimum xi. Breaking Strength (Weft) : 190 kg.f minimum xii. Tear Strength (Warp) : 25 kg.f minimum xiii. Tear Strength (Weft) : 25kg.f minimum xiv. Adhesion of PVC to Base Fabric (Warp) : 3.5 cm minimum xv. Adhesion of PVC to Base Fabric (Weft) : 3.5 cm minimum xvi. Water Proofing @ 100 High pressure : No leak xvii. Odisha Police Logo shall be printed in the corner of the Tent Cover Size : 1' x 1' and Colour : White xviii. (a) Eyelets on edges in width side (16 ft. width edge on either side) (b) 5 nos. on each side edge with spacing of 4 feet between each of them. © Eyelets at middle of length side of 20 ft (to be placed on top edge of GS Pal Tent when pitched) 5 nos. of eye lets at the following distance from one edge: Zero feet (edge), 1 feet, 8 feet, 15 feet and 16 feet (other edge). 10 nos. of Nylon rope of 6 ft. length and 8 mm thickness and 2 nos. of Nylon ropes of 12 ft. length and 8 mm thickness should be provided to facilitate tying up the eyelets with tent pickets.		
6	Durry Cotton Size (12' x 12')	The Durry should be made of good quality cotton.		

Sl. No.	Name of the item	Technical specification	Whether offered product fulfils the detailed Technical Specifications, Kindly answer. Yes or No only.	Offered specifications and details of deviations if any. (Separate paper indicating details in case of major deviations to be attached)
7	TARPAULIN (14' x 14')	i. Size – 14' x 14' approx. ii. PVC Coated Heavy Duty Synthetic Tarpaulin iii. GSM:- 430 ± 5% iv. Tarpaulin should be Fire Retardant v. Tarpaulin should be Heat Sealed with Metal Eyelets all around very high tear strength vi. Long Shell Life, vii. Complete protection from UV and Rot proof, viii. 100% Waterproof		
8	TARPAULIN (12' X 12')	i. Size – 12' x 12' approx. ii. PVC Coated Heavy Duty Synthetic Tarpaulin iii. GSM:- 430 ± 5% iv. Tarpaulin should be Fire Retardant v. Tarpaulin should be Heat Sealed with Metal Eyelets all around very high tear strength vi. Long Shell Life, vii. Complete protection from UV and Rot proof, viii. 100% Waterproof		
9	Body Protector Set (Jacket with two nos. Shin Guard and one no. Arm Guard)	i) Physical protection against brick batting, cane/knife attack and projectiles encountered in riot situation. ii) Special fire retardant, high impact resistance rubber inserts. iii) Cloth of Jacket should be made of good quality fire retardant gabardine jungle patch (Camouflage) cloth GSM 230 ± 5% and weave twill 3/1. iv) It should have 2 mm thermally formed Poly Carbonate sheet for front and back pouches with trauma pads. v) Elbow and shin guards should be ergonomically designed to protect limbs during riot/mob situation. vi) Impact attenuation above 80%. <u>Physical Dimension:</u> a) Total length : 140 cm (± 5%) b) Shoulder : 44 cm (± 5%) c) Collar : 42 cm x 35 cm (±5%) d) Pocket size : 28 cm x 35 cm (± 5%) e) Weight : less than < 3.5 kgs.		

Sl. No.	Name of the item	Technical specification	Whether offered product fulfils the detailed Technical Specifications, Kindly answer. Yes or No only.	Offered specifications and details of deviations if any. (Separate paper indicating details in case of major deviations to be attached)
10	Poly Carbonate Shield	<p>It should be have MK-II (oval shaped) thermoformed poly carbonate shield edges rounded with rubber bead/lining to provide protection against brick batting, stone pelting, iron rod, knife, cane attack during riot/ mob situation. On the middle part of the shield, the word "POLICE" should be written in red fluorescent letter with white background of size having 15 cm x 50 cm and size of each letter should be 11 cm height. It should have an extra reinforced Poly Carbonate stab of curved shape 30 cm width between the Shield and padding in the middle portion. This reinforced PC stab should be joined with the Shield with 3 to 4 nut bolts at both the edges. The rectangular cushioning Pad, the handgrip with the Velcro adjustment tape and the nylon carrying strap adjustable should all be fixed to the backside of the reinforcement PC stab by nut bolts. All the nut bolts should have proper rubber/polyurethane cushioned bush, rubber/polyurethane washers and metal split locking washers on either side for better shock protection.</p> <p><u>Physical Dimension:</u></p> <p>i) Shape - Rectangular (Thermoformed) ii) Dimension - 610 x 900 mm (± 10mm) iii) Thickness - 3 to 3.5 mm iv) Weight</p>		
11	Poly Carbonate Lathi	<p>It should be polycarbonate, unbreakable and light weight. The end should be covered by polycarbonate end caps. It should have handgrip with Nylon rope to hold smoothly.</p> <p>i) Total Length : 1 meter (± 2 cm.) ii) Handgrip : 15 cm long with Nylon rope iii) End Cap : 10 cm (Plain) iv) Diameter : 25 mm v) Thickness : 3 mm (± 0.1 mm) vi) Raw materials : Poly Carbonate vii) Weight : 300 gms (± 10 gms) viii) Colour : Khaki</p>		

Sl. No.	Name of the item	Technical specification	Whether offered product fulfils the detailed Technical Specifications, Kindly answer. Yes or No only.	Offered specifications and details of deviations if any. (Separate paper indicating details in case of major deviations to be attached)
12	Anti Riot Gas Mask with Canister	<p>i. Weight:- Approx 600 grams (without canister)</p> <p>ii. Face Mash:-</p> <p>a) Mask consists of face piece, inner mask exhalation valve system, connector, harness system & inbuilt visor.</p> <p>b) face piece has an inbuilt anti-fog visor.</p> <p>c) The mask is fitted with panoramic visor of universal size and gives maximum peripheral vision and wearer recognition.</p> <p>d) visor provides wide field of view, approx 90-120</p> <p>e) Mask adjusts on the faces of different users.</p> <p>f) Mask doesn't hinder the use of personal weapon and is compatible with other tactical equipment uses in field operations like communication devices, Bullet proof helmet etc.</p> <p>g) Mask connects with canister firmly.</p> <p>h) Inner mask has two control valves, one to orals other to nasal end.</p> <p>i) It is designed in such a way that there would be no lances fogging in low temperature or high humidity conditions.</p> <p>j) The mask is made up of polyester and other superior materials which enhance the wearer comfort so that it can be worn for long periods. The material resists chemical attack and temperature extremes, withstand rugged daily used, impact resistant and comfortable fit.</p> <p>iii. Canister</p> <p>a) Approx. 300 grams.</p> <p>b) The filter canister in connection with suitable respirator provides protection against solid and liquid particles, pepper spray (OC), Smoke producing substances, radioactive particles, bacteria and rickettsia, fungi, toxins, viruses, Riot control agents (law enforcement) , such as bromoacetone, CS, CR, CNC,CNS, CA substances organic compounds of arsenic - diphenyl- diclorarsine –CLARK I(DA) , diphenyl Cyano arsine methylchlorarsine CLARK II(DC), adamsite (DM), diphenyl diclorarsine (DA) , Ethyldicloroarsine (ED) , methylchlorarsine (</p>		

Sl. No.	Name of the item	Technical specification	Whether offered product fulfils the detailed Technical Specifications, Kindly answer. Yes or No only.	Offered specifications and details of deviations if any. (Separate paper indicating details in case of major deviations to be attached)
		MD) , and vapors of organic substances with a boiling point above 65° etc. iv. Canister Specification:- The Canisters are certified in accordance with EN 14387 :2004+AI:2008 with NSN(Natol Stack Number):- 424016AB21988 OF 07 4240160041411 NBC-3/SL v. Shelf Life:- Approx 5 Years.		
13.	Pepper Spray	The Pepper Spray made by 100% Natural Ingredients i.e. Oleoresin Capsaicin (O.C). It Should be tested by Any Governing Agency like State Police/ CRPF / BSF /MHA / Indian Navy / Indian Army or any competent Authority. i. Can Type: a) Monocular Block Aluminum Can b) Bare can Dimension: 35X85mm. c) Bare can W/V 70ml. ii. Active Ingredient:- Oleoresin Capsaicin iii. Value Type:- Very High Discharge rate iv. Propellant Deodorized:- Hydrocarbons. v. Cap & Nozzle:- 2Piece Integrated Cap & Nozzle vi. Effective Spray Distance:- Min 18 to Max 20 Feet vii. Net Weight/Capacity:- 35g/55ml viii. Discharge Rate:- Not Less than 10 g per second ix. Spray Pattern:- Forced Cone x. Accessories:- Belt pouch/Holster		

FINANCIAL BID FORMAT**Tender Call Notice No.
Tender Document No.-VI****Name of the Item :****PART-I**

1. Name and address of the Bidder.
2. Whether a manufacturer / Authorized Agent.
3. States in which Business run.
4. State from which material would be delivered if found successful in the bid.
5. GST Registration Number.
6. PAN :-
7. Annual Turn over of Previous Financial year.
8. Whether the above Registration Certificates are valid / suspended / cancelled at the time of filing tender.
9. Whether up to date returns under all Acts filed ?

PART-II

1. Brand name of the item manufactured / traded : --
2. Basic unit Price : --
3. IGST @ -- % : --
4. OGST @ --- % --
5. CGST @ ---- % --
6. Freight / Transportation Charges :--
7. Loading and Unloading Charges :-
8. Any Other Charges before Delivery :-
9. Any other Charges including installation charges :-

-
10. Gross Price of the Unit to be considered
(Sum total of Sl.1 to 9 of Part-II above)
 11. Total Sum payable for supply of entire bid quantity.
(Mark NA against the Sl. Which is not applicable)

PART-III

1. Terms & Conditions of Delivery
2. Terms and Conditions of Payment
3. Preference for mode of payment of "Performance Security" -

Seal & Signature of the Bidder