

**SCHEDULE
FOR
REPAIRS OF F.R.P POWER BOATS**

Sl.	Details of items of repairs			Rate
1	Dry docking, beaching and blocking the boat before repairs			
	Rate per boat :	i)	Above 25' long F.R.P.	-----
		ii)	20' to 25' long FRP	-----
		iii)	13' to 14' long FRP	-----
2	Launching the boat after repairs and painting			
	Rate per boat :	i)	Above 25' long F.R.P.	-----
		ii)	20' to 25' long FRP	-----
		iii)	13' to 14' long FRP	-----
3	Repairs to crack / damage of hull with keel, stem and side bit with FRP moulding upto 6 layers including finishing and matching the colour and labour charges			
	Rate per sft.			-----
4	Repairs to crack / damage of gunwale, bulkhead, deck, superstructure and benches with FRP moulding upto 4 layers inclusive of finishing and matching of colour and labour charges			
	Rate per sft.			-----
5	Repairs to and renewal of damaged Rubber fender of sal wood including fitting finishing and matching of colour with labour charges.			
	Rate per rft.			
6	Repair to wooden bench plank with fibre plank including fitting, finishing & painting including labour charges			
	Rate per sft.			
		i)	3/4" thick	-----
		ii)	1" thick	-----
		iii)	1 1/4" thick	-----
	PVC Board (18 mm)			

Sl.	Details of items of repairs			Rate
7	Repairs of floor boards with synthetic ply including fitting and fixing with 3 coats of FRP coating including labour charges.			
	<u>Rate per sft.:</u>			
	a)	9mm synthetic ply with FRP coating		-----
	b)	9mm synthetic ply without FRP coating		-----
	c)	12mm synthetic ply with FRP coating		-----
	d)	12mm synthetic ply without FRP coating		-----
8	Painting of entire boat inner & outer with 2 coats of paint of existing colour after repairs with labour charges.			
	a) Rate per sft.:			-----
	b) Rate per boat :			
	i)	Above 25' long F.R.P.		-----
	ii)	20' to 25' long FRP		-----
	iii)	13' to 14' long FRP		-----
9	Repairs to or renewal of stanchion of existing dimension with salwood including fitting & fixing with M.S. Bolts & nuts and painting with matching colour including labour charges.			
	<u>Rate per rft.</u>			
	i)	3" x 1 1/2"		-----
	ii)	2 1/2" x 1 1/4"		-----
10	Renewal of damaged transom planks with sal wood / synthetic ply including fitting and fixing with nut & bolts including labour charges.			
	<u>Rate per sft.</u>			
	a) Sal wood -			
		i) 1 1/2" thick		-----
		ii) 1" thick		-----
	b) Synthetic Ply -			
		i) 19 mm thick		-----
		ii) 12 mm thick		-----
11	Fitting of old and existing C.I. Bollard or fair lead on wooden base including fixing with M.S. Bolts and nuts and FRP coating to avoid leakages.			
	<u>Rate per each.</u>			
	i)	7" long		-----
	ii)	3" to 4" long		-----

Sl.	Details of items of repairs			Rate
12	Providing & fitting of C.I. Bollard on wooden base including fitting and fixing with M.S. Bolts & nuts & FRP coating .			
	<u>Rate per each</u>			
	i)	7" long	-----	
	ii)	3" to 4" long	-----	
13	Providing of access ladder of G.I including painting with 2 coats of paints.			
	<u>Rate per each :</u>			
	a)	07' - 0" long x 10" x 1"	-----	
	b)	10' - 0" long x 10" x 1 ^{1/4} "	-----	
	c)	12' - 0" long x 10" x 1 ^{1/4} "	-----	
14	Providing of Bamboo (Kata) suitable for Boat 2" / 1½ " dia 20'-0" to 25'-0" long			
	Rate per each			-----
15	Providing of dressed sal bullahs for 4" to 5" dia 10'-0" long			
	Rate per each			-----
16	Cleaning the boat inside and outside with soap including labour charges.			
	<u>Rate per boat :</u>			
	i)	Above 25' long F.R.P.	-----	
	ii)	20' to 25' long FRP	-----	
	iii)	13' to 14' long FRP	-----	
17	Chipping, scarping and painting of anchor with anticorrosive black paint including labour charges			
	<u>Rate per each :</u>			-----
18	Painting the boat above water level outside and inside with 2 coats of approved marine paints of existing colours after washing & cleaning with soap including labour charges			
	a)	Rate per sft.	-----	
	b) <u>Rate per boat :</u>			
	i)	Above 25' long F.R.P.	-----	
	ii)	20' to 25' long FRP	-----	
	iii)	13' to 14' long FRP	-----	

Sl.	Details of items of repairs			Rate
19	Renewal of roof planks with synthetic including fitting and fixing over the roof frame with 3 coats of FRP to make the roof water tight.			
	Rate per sft.			
	i)	6 mm synthetic ply with moulding	-----	
	ii)	9 mm synthetic ply with moulding	-----	
	iii)	12 mm synthetic ply with moulding	-----	
20	Renewal of Deck, gunwale and coming with synthetic ply including fitting and fixing with nuts & bolts / screws and 3 coats of FRP coating as per existing colour including labour charges.			
	Rate per sft.			
	a)	9 mm Synthetic ply with moulding	-----	
	b)	12 mm Syntheticply with moulding	-----	
	c)	19 mm Synthetic ply with moulding	-----	
21	Straightening and renewal of 40 HP rudder shaft and making the rudder pulley for smooth operation including labour charges.			
	Rate per each			-----
22	Repairs or renewal of roof railing with 1" dia G.I. Pipe including painting with marine paint including labour charges.			
	Rate per rft			-----
23	Renewal of deck railing with 1" dia G.I. Pipe including fitting and fixing with bolts & nuts and FRP moulding the base plates and painting.			
	Rate per rft			-----
24	Repairs or renewal of floor boards Jally with salwood battons (1/4" x 1½ " size) in 4" apart including fitting and fixing with screws and nails with labour charges.			
	Rate per sft			-----
25	Repairs and renewal of floor board frames with 2" x 1½" sal wood including fitting and fixing complete.			

Sl.	Details of items of repairs			Rate
	Rate per rft			-----
26	Renewal or replacement of damaged planks of ceiling or inner portion of the boat where necessary with Synthetic ply including fitting and fixing with screws, nails etc.			
	Rate per sft.			
	i)	6 mm Synthetic ply		-----
	ii)	9 mm Synthetic ply		-----
27	Renewal of glass panel with 5 mm thick glass / fibre glass complete fitting and fixing to make water tight with rubber breeding.			
	Rate per sft. :	a)	Glass	-----
		b)	Fibre Glass	-----
28	Taking out the damaged rubber bidding of glass and renewing the same as per existing dimension.			
	Rate per rft			-----
29	Renewal of wooden bearers / beams of deck, roof & super structures with sal wood including fitting and fixing			
	Rate per rft. :			
	i)	2" x 4"		-----
	ii)	1 1/2" x 3"		-----
	iii)	1 1/2" x 2"		-----
	iv)	2" x 2"		-----
30	Renual of canopy raxin			
	i)	20 ft to 25 ft lonf for FRP		
	II)	More than 25 ft long for FRP		

Sl.	Details of items of repairs					Rate
31	Renual of 1 inch dia steel pipe to be used for spreading of cannopy in the steering power boat making the pipe into proper shape with fitting and fixing charges.					
		a)	Rate per one no.			