

---

No. \_\_\_\_\_/Dated,

**To**

Superintending Engineer,  
Panikoili (R&B) Division.

**Sub:-** Quotation for supply of bricks/Blocks (Rate are excluding Royalty, GST,  
Conveyance)

**Ref:-** Your Budgetary Quotation No.Panikoili (R&B) 26/2021-22 dt.03.03.2022

**Sir,**

Annexure-I (Brick/ Blocks)

Sl.No.	Sl.No. of Items as per SoR	Name of the Materials	Unit	Basic Rate of Material Excluding GST, Royalty & Conveyance
1	1	Well burnt clamp burnt bricks (25 Cm. x 12Cm. x 8Cm.) having crushing strength not less than 35 Kg./Cm2 with dimensional tolerance $\pm$ 8 percent.	1000 Nos	
2	2	Well burnt clamp burnt bricks (23 Cm. x 11Cm. x 8Cm.) having crushing strength not less than 35 Kg./Cm2 with dimensional tolerance $\pm$ 8 percent.	1000 Nos	
3	3	K.B. bricks (25 Cm x 12Cm x 8Cm) having crushing strength not less than 75 Kg./Cm2 with dimensional tolerance $\pm$ 8 percent.	1000 Nos	
4	4	K.B. bricks (23 Cm. x 11Cm. x 8Cm.) having crushing strength not less than 75 Kg./Cm2 with dimensional tolerance $\pm$ 8 percent.	1000 Nos	
5	10	K.B. bricks Khoa 4 Cm.size	1 Cum	
6	11	Clamp burnt brick Khoa 4 cm. size.	1 Cum	
7	12	Surki of clamp burnt bricks.	1 Cum	
8	13	Surki of Kiln burnt bricks.	1 Cum	

9	5	Fly ash bricks of 25 Cm. x 12 Cm. x 8 Cm. size having crushing strength not less than 75 Kg./Cm <sup>2</sup> with dimensional tolerance $\pm 2\%$	1000 Nos	
10	6	Fly ash bricks of 23 Cm. x 11 Cm. x 8 Cm. size having crushing strength not less than 75 Kg./Cm <sup>2</sup> with dimensional tolerance $\pm 2\%$	1000 Nos	
11	7	Fly ash blocks of 30 Cm. x 20 Cm. x 15 Cm. size having crushing strength not less than 75 Kg./Cm <sup>2</sup> with dimensional tolerance $\pm 2\%$	Each	
12	8	Cement concrete solid Block machine mixed and Hydraulic compressed having crushing strength not less than 75kg/cm <sup>2</sup>		
12	8	400mm x 200mm x 200mm size	Each	
12	8	400mm x 150mm x 200mm size	Each	
12	8	400mm x 100mm x 150mm size	Each	
12	8	300mm x 200mm x 150mm size	Each	
12	8	300mm x 150mm x 150mm size	Each	
12	8	300mm x 100mm x 150mm size	Each	
13	9	Cement concrete Hollow Blocks machine mixed and Hydraulic compressed having crushing strength not less than 70kg/cm <sup>2</sup>		
13	9	400mm x 200mm x 200mm size	Each	
13	9	400mm x 150mm x 200mm size	Each	
13	9	400mm x 100mm x 200mm size	Each	
13	9	300mm x 200mm x 150mm size	Each	
13	9	300mm x 150mm x 150mm size	Each	
13	9	300mm x 100mm x 150mm size	Each	

Thanking You

Proprietor

---

No. \_\_\_\_\_/Dated,

**To**

Superintending Engineer,  
Panikoili (R&B) Division.

**Sub:-** Quotation for supply of Sand moorum, Bajri (Rate are excluding Royalty, GST, Conveyance)

**Ref:-** Your Budgetary Quotation No.Panikoili (R&B) 26/2021-22 dt.03.03.2022

**Sir,**

Annexure-II (Sand moorum, Bajri)

Sl.No.	Sl.No. of Items as per SoR	Name of the Materials	Unit	Basic Rate of Material Excluding GST, Royalty & Conveyance
1	14	Screen washed gravel for concrete (12mm. to 20mm.)	1 Cum	
2	15	Gravel or moorum	1 Cum	
3	17	River single or Bajri (12mm. to 20mm.)	1 Cum	
4	18	Screened and washed sharp sand for mortar	1 Cum	
5	19	Sand for filling and road blinding	1 Cum	
6	20	Clay mortar for masonry work with admixture of sand.	1 Cum	

Thanking You

Proprietor

---

No. \_\_\_\_\_/Dated,

**To**

Superintending Engineer,  
Panikoili (R&B) Division.

**Sub:-** Quotation for supply of Lime (Rate are excluding Royalty, GST, Conveyance)

**Ref:-** Your Budgetary Quotation No.Panikoili (R&B) 26/2021-22 dt.03.03.2022

**Sir,**

Annexure-III (Lime)

Sl.No.	Sl.No. of Items as per SoR	Name of the Materials	Unit	Basic Rate of Material Excluding GST, Royalty & Conveyance
1	21	Stone lime unslaked.	1 Kg.	
2	22	Ghooting lime unslaked.	1 Kg.	
3	23	Shell lime unslaked.	1 Kg.	

Thanking You

Proprietor

No. \_\_\_\_\_/Dated,

To

Superintending Engineer,  
Panikoili (R&B) Division.

**Sub:-** Quotation for supply of Stone products (Rate are excluding Royalty, GST, Conveyance)

**Ref:-** Your Budgetary Quotation No.Panikoili (R&B) 26/2021-22 dt.03.03.2022

Sir,

Annexure-IV (Stone Products)

Sl.No.	Sl.No. of Items as per SoR	Name of the Materials	Unit	Basic Rate of Material Excluding GST, Royalty & Conveyance
1	16	Stone screened Dust passing through 2.36 mm sieve and retained on 0.075 mm sieve	1 Cum	
2	24	a) Granite broken stone of size not less than 0.0025 Cum. Stacked	1 Cum.	
2	24	b) Granite stone of size not less than 0.0025 Cum. picked up.	1 Cum.	
3	25	Stone other than granite quarried, broken and staked 0.0015 Cum to 0.003 Cum	1 Cum.	
4	26	Stone other than granite picked up and staked 0.0015 Cum. to 0.003 Cum	1 Cum.	
5	27	Stone other than granite quarried, broken and staked above 0.003 Cum	1 Cum.	
6	28	Stone other than granite picked up, broken and staked above 0.003 Cum	1 Cum.	
7	29	Granite Stone broken metal 63mm. size Passing through 90mm. Sieve and retained on 53 mm sieve.		
7	29	a) Crusher broken.	1 Cum.	
7	29	b) Hand broken.	1 Cum.	
8	30	Granite Stone broken metal 45mm. size (Passing through 53mm sieve & retained on 26.5mm sieve)		
8	30	a) Crusher broken.	1 Cum.	
8	30	b) Hand broken.	1 Cum.	
9	31	Granite Stone broken metal 40mm. size		
9	31	a) Crusher broken.	1 Cum.	
9	31	b) Hand broken.	1 Cum.	

10	32	Granite Stone broken metal 26.5mm. size (Passing through 45mm sieve & retained on 22.4mm sieve)		
10	32	a) Crusher broken.	1 Cum.	
10	32	b) Hand broken.	1 Cum.	
11	33	Granite Stone broken metal 25mm. size (Passing through 40mm sieve & retained on 20mm sieve)		
11	33	a) Crusher broken.	1 Cum.	
11	33	b) Hand broken.	1 Cum.	
12	34	Granite Stone broken metal 22.4mm. size (Passing through 26.5mm sieve & retained on 11.2mm sieve)		
12	34	a) Crusher broken.	1 Cum.	
12	34	b) Hand broken.	1 Cum.	
13	35	Granite Stone broken chips 20mm. size (Minimum 65% by Wt. Passing through 19mm sieve & retained on 13.2mm sieve but whole should pass through 26.5mm sieve)		
13	35	a) Crusher broken.	1 Cum.	
13	35	b) Hand broken.	1 Cum.	
14	36	Granite Stone broken chips 13.2mm. Size (Passing through 22.4mm sieve & retained on 11.2mm sieve)		
14	36	a) Crusher broken.	1 Cum.	
14	36	b) Hand broken.	1 Cum.	
15	37	Granite Stone broken chips 12mm. size (Minimum 65% by Wt. Passing through 13.2mm sieve & retained on 9.50mm sieve but whole should pass through 19mm sieve)		
15	37	a) Crusher broken.	1 Cum.	
15	37	b) Hand broken.	1 Cum.	
16	38	Granite Stone broken chips 11.2mm. size (Passing through 13.2mm sieve & retained on 5.6mm sieve)		
16	38	a) Crusher broken.	1 Cum.	
16	38	b) Hand broken.	1 Cum.	
17	39	Granite Stone broken chips 10mm. size (Minimum 65% by Wt. Passing through 9.5mm sieve & retained on 6.3mm sieve but whole should pass through 13.2mm sieve)		
17	39	a) Crusher broken.	1 Cum.	
17	39	b) Hand broken.	1 Cum.	
A	A	Granite Stone broken chips 6.7mm size (Passing through 11.2mm sieve & retained on 2.8mm sieve)	1 Cum.	
B	B	Granite Stone screening (Passing through 2.36mm sieve & retained on 180 micron sieve)	1 Cum.	

18	40	Granite stone broken chips of 4.7 mm size passing through 6.7 mm sieve (crusher broken.) and retained on 2.36 mm sieve.	1 Cum.	
19	41	Stone other than granite broken to 5cm. size.	1 Cum.	
20	42	Stone other than granite broken to 4 cm. size.	1 Cum.	
21	43	Stone other than granite broken to 2 cm. size.	1 Cum.	
22	44	Stone other than granite broken to 1cm. size.	1 Cum.	
23	45	Stone boulder 15cm. & above size granite picked up and nullah boulders.	1 Cum.	
24	46	Soiling stone boulder 15Cm. & above size picked up nullah boulders broken.	1 Cum.	
25	47	Stone boulder 15cm. & above size other than granite or laterite picked up and nullah boulders.	1 Cum.	
26	48	Soiling stone boulder 15Cm. & above size other than granite or laterite picked up nullah boulders broken.	1 Cum.	
27	49	Soling stone boulders 10 Cm. size picked up other than granite.	1 Cum.	
28	50	Hard broken soling stone other than granite (40mm. to 90mm.)	1 Cum.	
29	51	I.R.C. Grade I (90mm-45 mm.)	1 Cum.	
30	52	I.R.C. Grade II (63mm. to 45mm.)	1 Cum.	
31	53	I.R.C. Grade III (53mm. to 22.4mm.)	1 Cum.	
32	54	Laterite soling stone 23Cm. size	1 Cum.	
33	55	Laterite Stone rough dressed	1 Cum.	

Thanking You

Proprietor

No. \_\_\_\_\_/Dated,

To

Superintending Engineer,  
Panikoili (R&B) Division.

**Sub:-** Quotation for supply of Wood (Rate are excluding Royalty, GST, Conveyance)

**Ref:-** Your Budgetary Quotation No.Panikoili (R&B) 26/2021-22 dt.03.03.2022

Sir,

Annexure-V (Wood)

Sl.No.	Sl.No. of Items as per SoR	Name of the Materials	Unit	Basic Rate of Material Excluding GST, Royalty & Conveyance
1	56	Bamboo mat or talai.	1 Sqm.	
2	57	Bamboo 1ST class 7Cm. to 10Cm. dia & above 6m. long.	Each	
3	58	a) Belongi Bomboo 2.51 Cm. to 4Cm. dia & above 5m. long.	Each	
3	58	b) Belongi Bomboo above 4Cm. dia & up to 7Cm. dia & above 5m. long.	Each	
4	59	Sal bullahs 75mm. to 120mm. mean dia up to 5.5m. long.	1Mtr	
5	60	Sal bullahs 150mm. to 200mm. mean dia up to 5.5m. long.	1Mtr	
6	61	Sal bullahs above 200mm. & up to 250mm. mean dia & up to 2.75m. long.	1Cum.	
7	62	Sal bullahs above 200mm. & up to 250mm. mean dia above 2.75m. long & up to 4.75m. long.	1Cum.	
8	63	Sal bullahs above 200mm. & up to 250mm. mean dia above 4.75m. long	1Cum.	
9	64	Sal bullahs above 250mm. & up to 380mm. mean dia & up to 2.75m. long	1Cum.	
10	65	Sal bullahs above 250mm. & up to 380mm. mean dia & above 2.75m. long up to 4.75m. long	1Cum.	
11	66	Sal bullahs above 250mm. & up to 380mm. mean dia & above 4.75m. long.	1Cum.	
12	67	Non-sal bullahs 75mm. mean dia of any length.	1Mtr.	
13	68	Non-sal bullahs 100mm. mean dia of any length.	1Mtr.	
14	69	Non-sal bullahs 125mm. mean dia of any length.	1Mtr.	
15	70	Non-Sal bullahs 150mm. to 200mm. mean dia of any length.	1Mtr.	
16	71	Non-Sal bullahs above 200mm. & up to 250mm. mean dia up to 2.5m. long.	1Cum.	
17	72	Non-Sal bullahs above 200mm. & up to 250mm. mean dia above 2.5m. long.	1Cum.	

18	73	Seasoned rough dressed sawn Sal wood having minimum dimension 50mm. to 150mm. & up to 2.75m. long.	1Cum.	
19	74	Seasoned rough dressed sawn Sal wood having minimum dimension 50mm. to 150mm. & above 2.75m. long.	1Cum.	
20	75	Seasoned Sal wood beam of cross sectional area not less than 150Sq.cm. & least lateral dimension 100mm. & above 2.75m. long.	1Cum.	
21	76	Seasoned Sal wood planks not more than 75mm. thick & not less than 200mm. width.	1Cum.	
22	77	Seasoned Piasal wood planks for shutters.	1Cum.	
23	78	Seasoned Teak wood planks for shutters.	1Cum.	
24	79	Non Sal wood scantling & plants(Tentera, Kasi, Gamhari, Kuruma)	1Cum.	
25	80	Non-Sal reapers.	1Cum.	
26	81	Fire wood	1Qntl	

Thanking You

Proprietor

No. \_\_\_\_\_/Dated,

To

Superintending Engineer,  
Panikoili (R&B) Division.

**Sub:-** Quotation for supply of Tile/All types of flooring materials (Rate are excluding Royalty, GST, Conveyance)

**Ref:-** Your Budgetary Quotation No.Panikoili (R&B) 26/2021-22 dt.03.03.2022

Sir,

Annexure-VI (Tile/All types of flooring materials)

Sl.No.	Sl.No. of Items as per SoR	Name of the Materials	Unit	Basic Rate of Material Excluding GST, Royalty & Conveyance
1	82	1St class Raniganj or Mangalore pattern tiles.	100 Nos.	
2	83	Ridges of Raniganj or Mangalore parttern tiles.	100 Nos.	
3	84	Flat tiles(14Cm. x14 Cm.x 1Cm. )	1000 Nos.	
4	85	Flat tiles (15Cm x15Cmx 1.2 Cm )	1000 Nos.	
5	86	Flat tiles (30Cm. x 15 Cm.x 2.5 Cm. )	1000 Nos.	
6	87	Flat tiles (30Cm. x 30 Cm.x 2.5 Cm. )	1000 Nos.	
7	88	Pan tiles	1000 Nos.	
8	89	Nuria tiles(20Cm. to 25Cm.)	1000 Nos.	
9	90	Nuria tiles(25Cm. to 30Cm.)	1000 Nos.	
10	91	Ridge tiles	1000 Nos.	
11	92	Marble Tiles of minimum 16 mm thick, dunguri Variety.		
11	92	(a) Up to 0.10 Sqm.	1 Sqm.	
11	92	(b) Above 0.10 Sqm. to 0.40 Sqm.	1 Sqm.	
11	92	( c) Above 0.4 Sqm. to 1.00 Sqm.	1 Sqm.	
12	93	Kota Tiles of minimum 16 mm thick		
12	93	(a) Up to 0.10 Sqm.	1 Sqm.	
12	93	(b) Above 0.10 Sqm.	1 Sqm.	
13	94	Khandolites (Up to 0.06 Sqm.)	1 Sqm.	
14	95	Granite Tiles		

14	95	(a) Up to 0.10 Sqm. (10mm thick)	1 Sqm.	
14	95	b) Above 0.10 Sqm		
14	95	(i) Above 0.10 Sqm & up to 0.4 sqm (10mm. thick)	1 Sqm.	
14	95	ii) Above 0.40 sqm. (20mm thick)	1 Sqm.	
15	96	Kodappa Tiles of 10 mm thick		
15	96	(a) Above 0.1 Sqm & Up to 0.40 Sqm.	1 Sqm.	
15	96	(b) Above 0.40 Sqm.	1 Sqm.	
16	97	Dholpuri Stone Tiles.	1 Sqm.	
17	98	Tiles up to-		
17	98	(a) 20cmx30cm / 20cm x 20cm special plain / printed series ceramic wall tiles of premium grade having thickness 6.5mm to 6.7mm confirming to IS 13753	1 Sqm.	
17	98	(b) 30cm x 30cm / 40cm x 40cm special plain / printed series ceramic floor tiles of premium grade having thickness 7mm to 8mm confirming to IS 13755	1 Sqm.	
17	98	(c) Polished Vitrified floor tiles of premium grade having thickness 8 mm to 10mm confirming to IS 15622:2006 (Group-B la) of following sizes.		
17	98	(I) Vitrified Tile 600mmx600mm Plain (Ivory)	1 Sqm.	
17	98	(II) Vitrified Tile 600mmx600mm Coloured / Printed series(Homogeneous)	1 Sqm.	
17	98	(d) Vitrified industrial floor Tile of premium grade having thickness 8mm to 10mm confirming to IS 4457 of size 300mmx300mm	1 Sqm.	
18	99	Chequered Tiles.	1 Sqm.	
19	100	Terrazo Tiles.		
19	100	(a) With grey cement.	1 Sqm.	
19	100	(b) With white cement	1 Sqm.	
20	129	Marble Chips.	1qntl	
21	130	Marble Powder	1qntl	
22	170	Vinyl Flooring (I.S.I.)		
22	170	Homogeneous Range (I.S.I.)		
22	170	PVC (MF) Classic roll- 1.00mm thick	Sqm	
22	170	PVC (MF) classic tile- 1.00mm thick	Sqm	
22	170	PVC (MF) impress roll-1.50mm thick	Sqm	
22	170	PVC (MF) impress tile-1.50mm thick	Sqm	
22	170	PVC (MF) super roll-2.00mm thick	Sqm	
22	170	PVC (MF) super tile -2.00mm thick	Sqm	
23	170	Heterogeneous Range (I.S.I.)		
23	170	PVC (MF) Hetro roll- 2.00mm thick	Sqm	
23	170	PVC (MF) hetro tile- 2.00mm thick	Sqm	

Thanking You

Proprietor

No. \_\_\_\_\_/Dated,

To

Superintending Engineer,  
Panikoili (R&B) Division.

**Sub:-** Quotation for supply of Paints (Rate are excluding Royalty, GST, Conveyance)

**Ref:-** Your Budgetary Quotation No.Panikoili (R&B) 26/2021-22 dt.03.03.2022

**Sir,**

Annexure-VII (Paints)

Sl.No.	Sl.No. of Items as per SoR	Name of the Materials	Unit	Basic Rate of Material Excluding GST, Royalty & Conveyance
1	101	Red oxide Primer	1 Litre	
2	102	Wood Primer	1 Litre	
3	103	Wood Shine Paint	1 Litre	
4	104	Plastic Emulsion paint	1 Litre	
5	105	Enamel paint	1 Litre	
6	106	Distemper	1 Kg.	
7	107	Cement paint	1 Kg.	
8	108	Red oxide powder	1 Kg.	
9	109	French polish	1 Litre	
10	110	Varnish	1 Litre	
11	111	Plaster of paris	1 Kg.	
12	118	Putty (Wood)	1 Kg.	
13	119	Putty (Iron)	1 Kg.	
14	132	White Cement.	1qntl	
15	135	Bentonite powder	1qntl	
16	155	Wall cement primer (I.S.I.)		
16	155	Oil bound	1 ltr	
16	155	Water bound	1 ltr	
17	156	Aluminium paint (I.S.I.)	1 ltr	
18	157	Weather Coat (I.S.I.)	1 ltr	
19	158	Adhesive (I.S.I.)	1 Kg	

Thanking You

Proprietor

No. \_\_\_\_\_/Dated,

To

Superintending Engineer,  
Panikoili (R&B) Division.

**Sub:-** Quotation for supply of Nuts Bolts etc (Rate are excluding Royalty, GST, Conveyance)

**Ref:-** Your Budgetary Quotation No.Panikoili (R&B) 26/2021-22 dt.03.03.2022

Sir,

Annexure-VIII (Nuts Bolts etc)

Sl.No.	Sl.No. of Items as per SoR	Name of the Materials	Unit	Basic Rate of Material Excluding GST, Royalty & Conveyance
1	120	Wire Nails	1 Kg.	
2	123	Bolt, Nut & Washers	1 Kg.	
3	124	Holding down bolts minimum 60 Cm. long with 15Cm. x 15 Cm. x 6mm. size washer plate	1 Kg.	
4	125	Binding Wire.	1 Kg.	
5	126	Coir String	1 Kg.	
6	128	Straw in Bundle	100 nos	
7	134	"Z" type Steel Sheet Piles .	1qntl	
8	136	Butt hinges (I.S.I.)		
8	136	50x37x1.50mm	Each	
8	136	75x47x0.70mm	Each	
8	136	100x58x1.90mm	Each	
8	136	125x65x2.12mm	Each	
9	137	M.S. aldrop (I.S.I.)		
9	137	250x16mm	Each	
9	137	300x16mm	Each	
10	138	M.S. handle (I.S.I.)		
10	138	100mm	Each	

10	138	125mm	Each	
10	138	150mm	Each	
11	139	M.S. tower bolt (I.S.I.)		
11	139	100x10mm	Each	
11	139	150x10mm	Each	
11	139	200x10mm	Each	
12	140	M/S. Screw (I.S.I.)		
12	140	12x3mm	100 pcs	
12	140	12x4mm	100 pcs	
12	140	20x4mm	100 pcs	
12	140	20x5mm	100 pcs	
12	140	25x4mm	100 pcs	
12	140	25x5mm	100 pcs	
12	140	30x4mm	100 pcs	
12	140	30x5mm	100 pcs	
12	140	30x6mm	100 pcs	
12	140	35x6mm	100 pcs	
12	140	35x7mm	100 pcs	
12	140	35x8mm	100 pcs	
12	140	50x7mm	100 pcs	
12	140	50x8mm	100 pcs	
13	141	Steel window stay bar (I.S.I.)		
13	141	200mm	Each	
13	141	250mm	Each	
13	141	300mm	Each	
14	142	Steel window handle including Nut, bolt & washer (I.S.I.)		
14	142	100mm	Each	
14	142	150mm	Each	
15	143	Welded mesh		
15	143	25mmx25mmx11 gauge	Sqm	
15	143	25mmx25mmx13 gauge	Sqm	
15	143	50mmx25mmx11 gauge	Sqm	
15	143	50mmx25mmx13 gauge	Sqm	
16	144	G.I. "L" & "J" hook	Kg	
17	145	W.I. clamp	Kg	
17	145	Aluminium fittings (I.S.I.)		
18	146	Butt hinges (I.S.I.)		
18	146	125mmx75mmx4mm	Each	
18	146	125mmx63mmx4mm	Each	
18	146	100mmx75mmx4mm	Each	
18	146	100mmx63mmx4mm	Each	

18	146	75mmx63mmx4mm	Each	
18	146	50mmx35mmx3.2mm	Each	
19	147	Aluminium handle (I.S.I.)		
19	147	150mm with 175mm x 40mm flat	Each	
19	147	125mm with 175mm x 40mm flat	Each	
19	147	100mm with 150mm x 33mm flat	Each	
19	147	75mm with 118mm x 33mm flat	Each	
20	148	Aluminium tower bolt (Barrel type) (I.S.I.)		
20	148	300mm x10mm	Each	
20	148	250mm 10mm	Each	
20	148	200mm x 10mm	Each	
20	148	150mm x 10mm	Each	
20	148	100mm x 10mm	Each	
21	149	Sliding door bolt (Aldrop) (I.S.I.)		
21	149	300mm x 16mm	Each	
21	149	250mm x 16mm	Each	
22	150	Brass fittings( I.S.I. ) Butt hinges (light/Ordinary) (I.S.I.)		
22	150	125mm x 70mm x 4mm	Each	
22	150	100mm x 70mm x 4mm	Each	
22	150	75mm x 40mm x 2.5mm	Each	
22	150	50mm x 40mm x 2.5mm	Each	
23	151	Brass But hinges (Heavy type) (I.S.I.)		
23	151	125mm x 85mm x 5.5mm (0.07 kg )	Each	
23	151	100mmx85mm5.5mm (0.056Kg)	Each	
23	151	75mmx65mmx4mm (.02 kg )	Each	
24	152	Brass tower bolt (Barrel type) (I.S.I.)		
24	152	250mm x 10-mm	Each	
24	152	200mm x 10mm	Each	
24	152	150mm x 10mm	Each	
24	152	100mm x 10mm	Each	
25	153	Brass Screws (I.S.I.)		
25	153	50mm	100 Nos	
25	153	40mm	100 Nos	
25	153	30mm	100 Nos	
25	153	25mm	100 Nos	
25	153	20mm	100 Nos	
26	154	Chromium plated fittings (Brass) (I.S.I.)Handle (I.S.I)		
26	154	125mm with 175 x 32mm plate	Each	
26	154	100mm with 150 x 25mm plate	Each	
26	154	75mm with 125 x 25mm plate	Each	
27	160	Barbed wire (I.S.I.)	Kg	

Thanking You

Proprietor

---

No. \_\_\_\_\_/Dated,

**To**

Superintending Engineer,  
Panikoili (R&B) Division.

**Sub:-** Quotation for supply of Cement Bag Bitumen drum (Rate are excluding  
Royalty, GST, Conveyance)

**Ref:-** Your Budgetary Quotation No.Panikoili (R&B) 26/2021-22 dt.03.03.2022

**Sir,**

Annexure-IX (Cement Bag Bitumen drum)

Sl.No.	Sl.No. of Items as per SoR	Name of the Materials	Unit	Basic Rate of Material Excluding GST, Royalty & Conveyance
1	127	Empty Cement bags (HDPE) by lot & not shorted out	100 nos	
2	127	Empty Cement gunny bags by lot & not shorted out	100 nos	
3	127	Empty Bitumen Drum	Each	
4	127	Empty Bitumen Emulsion Drum	Each	

Thanking You

Proprietor

No. \_\_\_\_\_/Dated,

To

Superintending Engineer,  
Panikoili (R&B) Division.

**Sub:-** Quotation for supply of Glass , Ply & Other items (Rate are excluding Royalty, GST, Conveyance)

**Ref:-** Your Budgetary Quotation No.Panikoili (R&B) 26/2021-22 dt.03.03.2022

Sir,

Annexure-X (Glass , Ply & Other items)

Sl.No.	Sl.No. of Items as per SoR	Name of the Materials	Unit	Basic Rate of Material Excluding GST, Royalty & Conveyance
1	159	Bitumenous expansion joint board (I.S.I.)		
1	159	12mm thick	Sqm	
1	159	16mm thick	Sqm	
1	159	25mm thick	Sqm	
2	161	Glass plain (I.S.I.)		
2	161	3mm	Sqm	
2	161	4mm	Sqm	
2	161	5mm	Sqm	
2	161	6mm	Sqm	
2	161	8mm	Sqm	
2	161	10mm	Sqm	
2	161	12mm	Sqm	
3	162	Glass pin headed (I.S.I.)		
3	162	4mm	Sqm	
3	162	5mm	Sqm	
4	163	Black glass (I.S.I.)		
4	163	4mm	Sqm	
4	163	5mm	Sqm	
4	163	6mm	Sqm	
4	163	8mm	Sqm	
4	163	12mm	Sqm	
5	164	Frosted glass (I.S.I.)		
5	164	4mm	Sqm	

5	164	5mm	Sqm	
6	165	Wire glass – 6 mm (I.S.I.)	Sqm	
7	166	Sun-control film (I.S.I.)		
7	166	Reflective	Sqm	
7	166	Non-reflective	Sqm	
8	167	Prelaminated particle board (standard type) (I.S.I.)		
8	167	9mm	Sqm	
8	167	12mm	Sqm	
8	167	18mm	Sqm	
8	167	25mm	Sqm	
9	168	BWR ply wood (I.S.I.)		
9	168	3mm	Sqm	
9	168	4mm	Sqm	
9	168	6mm	Sqm	
9	168	9mm	Sqm	
9	168	12mm	Sqm	
9	168	16mm	Sqm	
9	168	19mm	Sqm	
9	168	25mm	Sqm	
10	169	BWR Block Board (I.S.I.)		
10	169	16mm	Sqm	
10	169	19mm	Sqm	
10	169	25mm	Sqm	
10	169	32mm	Sqm	

Thanking You

Proprietor

No. \_\_\_\_\_/Dated,

To

Superintending Engineer,  
Panikoili (R&B) Division.

**Sub:-** Quotation for supply of Aluminium/ Steel shutter etc door/ Window fittings items (Rate are excluding Royalty, GST, Conveyance)

**Ref:-** Your Budgetary Quotation No.Panikoili (R&B) 26/2021-22 dt.03.03.2022

Sir,

Annexure-XI (Aluminium/ Steel shutter etc door/ Window fittings items )

Sl.No.	Sl.No. of Items as per SoR	Name of the Materials	Unit	Basic Rate of Material Excluding GST, Royalty & Conveyance
1	112	Coal Tar	1 Kg.	
2	113	G.C.I. Sheet		
2	113	a) 0.30mm thick	1 Sqm.	
2	113	b) 0.40mm thick	1 Sqm.	
3	114	A.C. Sheet	1 Sqm.	
4	115	A.C. ridges	1 pair	
5	116	6mm. Thick Plain A.C. Sheet	1 Sqm	
6	117	Tar Paper	1 Sqm	
7	171	Aluminium extruded section	Kg	
8	172	Roll formed sections made of pre-painted steel ( base steel as per IS-513 of 0.6 mm thick "D" quality, galvanised as per IS-277 with zinc of 120 gm / sq. mtr)		
8	172	a) Outer frames Po-527	Mtr	
8	172	b) Intermediate mullion Po-528	Mtr	
8	172	c) Shutter frame Po-153	Mtr	
8	172	d) Fixed beeding Po-179	Mtr	
8	172	e) Sliding shutter Po-254	Mtr	
8	172	f) Outer frames(side / top) Po-255	Mtr	
8	172	g) Outer frames(bottom) Po-256	Mtr	
8	172	h) Sliding track (SS) Po-257	Mtr	
8	172	i) Sashbar Po-101	Mtr	

8	172	j) Sashbar at shutter Po-107	Mtr	
8	172	k) Louvered horizontal (Top / bottom) Po-193 A	Mtr	
8	172	l) 33 x 57 Box Section	Mtr	
8	172	m)100x50mm Box Section	Mtr	
8	172	n)Small Z Section	Mtr	
8	172	o) Extended Z Section	Mtr	
8	172	p) Cover Profile	Mtr	
8	172	Acessories		
8	172	a) sliding outer frame assembly / pc	Each	
8	172	b) sliding shutter /pc	Each	
8	172	c) Sashbar	Each	
8	172	d) wall fixing with polymide anchor at every 600mm c/c of outer frame	Each	
8	172	e) Outer frame corner	Each	
8	172	f) Top hung shutter / pc	Each	
8	172	g) Fixed mullion	Each	
8	172	h) Fixed glazing	Each	
8	172	i) Louvered blade	Each	
8	172	j) Side hung door / pc	Each	
8	172	k) Door lock / pc	Each	
8	172	l) Swing door shutter /pc	Each	
8	172	m) Floor Spring (Godrej Make)	Each	
8	172	Gasket		
8	172	a) For Shutter Po-153	Mtr	
8	172	b) For beading Po-179	Mtr	
8	172	c) For Sashbar Po-101	Mtr	
9	173	Rate of 60 micron powder coating (including labour charges and material for powder coating) for aluminium section.	Kg of Aluminium	
10	174	12.5 mm thick gypsum board of size 6' x 4'	One Piece	

Thanking You

Proprietor

---

No. \_\_\_\_\_/Dated,

**To**

Superintending Engineer,  
Panikoili (R&B) Division.

**Sub:-** Quotation for supply of Extra items (Rate are excluding Royalty, GST, Conveyance)

**Ref:-** Your Budgetary Quotation No.Panikoili (R&B) 26/2021-22 dt.03.03.2022

**Sir,**

Annexure-XII (Extra items )

Sl.No.	Sl.No. of Items as per SoR	Name of the Materials	Unit	Basic Rate of Material Excluding GST, Royalty & Conveyance
1	175	Waste Plastic duly cleaned and shredded conforming to the size passing 2.36mm sieve and retained on 600 micron seive and conforming to requirement if IRC:SP:98-2013.	Per Kg	
2	176	Aerated Autoclaved Fly ash (AAC) blocks of different sizes having compressive strength not less than 4N/mm <sup>2</sup> conforming to IS:2185 (Part-3)-2005 and IS:6441-1972 including royalty applicable over the raw materials of AAC block and and excluding conveyance.	1Cum.	

Thanking You

Proprietor