

Corrigendum-II

Request for Proposal (RFP) for Selection of Agency for Supply, Installation, Commissioning & Maintenance of IT and Non IT Equipment at Kasturba Gandhi Balika Vidyalaya (KGBV) and Block Resource Cluster Centre (BRCC)

RFP No. – OCAC–SEGP–INFRA–0058–2023–23130 dtd.12/01/2024

SI No	RFP Chapter No.	RFP Clause No.	RFP Page No.	Clause Details as per RFP	Query/Clarification/ Suggestion	Reply
1	Annexure-3: Technical Specifications 1. Desktop Computer Specification:	Processor	43	Intel Core I3 13100/ AMD Ryzen 3 PRO 5300G (or Higher)	Request you to ammend this clause as: Intel Core I3 13100/ AMD Ryzen 3 5300G (or Higher)	Amended as : Intel Core I3 13100/ AMD Ryzen 3 5300G (or Higher)
2	Annexure-3: Technical Specifications 1. Desktop Computer Specification:	Certifications for Items	43	BIS, BEE, EPR, Energy Star, EPEAT Gold India, UL, CE/Indian equivalent of CE, ROHS, Windows	Request you to ammend this clause as: BIS, BEE/Energy Star, EPR, EPEAT Gold India, UL, CE, ROHS, Windows	Amended as : BIS, BEE/Energy Star, EPR, EPEAT Gold India, UL, CE, ROHS, Windows
3	Annexure-3: Technical Specifications 1. Desktop Computer Specification:	Cabinet	43	Small Form Factor/Tower Form Factor, Maximum 16L , Audio in, Headphone out, Microphone in, Internal bays-3	Request you to kindly ammend this clause as: Small Form Factor/Tower Form Factor, Maximum 16L and 5.75Kg, Audio in, Headphone out, Microphone in, Internal bays-3	Amended as: Small Form Factor/Tower Form Factor, Maximum 16L (only CPU), Audio , 1 headphone/microphone , Internal bays-2 or more.
4	Annexure-3: Technical Specifications 1. Desktop Computer Specification:	Slota/Ports	43	Slots/Ports: Minimum 2 X PCIe slots, 2 X M.2 slots, Minimum 2 X DIMM Slots for memory and Minimum 2 x USB 2.0 and 2 x USB Type A 3.2 Gen2	Slots/Ports: Minimum 3 PCIe slots including 1 PCI, 2 M.2 slots, Minimum 2 DIMM Slots for memory and Minimum 2 USB 2.0 and 2 USB Type A 3.2 Gen2, 1 Serial port	Amended as : Minimum 3 x PCIe/ PCI slots including 1 x PCI, 2 x M.2 slots, Minimum 2 x DIMM Slots for memory and Minimum 2 x USB 2.0 and 2 x USB Type A 3.2 Gen2, 1 x Serial port

5	Annexure-3: Technical Specifications 1. Desktop Computer Specification:	Connectivity & Ports	43	10/100/1000 onboard integrated Gigabit port, Wifi 802.11 b/g/n/ac and Bluetooth 5.0 and above	10/100/1000 onboard integrated Gigabit port, Wifi 6 and Bluetooth 5.0 and above	Amended as : 10/100/1000 onboard integrated Gigabit port, Wifi 6 and Bluetooth 5.0 and above
6	Annexure-3: Technical Specifications 1. Desktop Computer Specification:	Monitor	43	Minimum 19.5 Inch or Higher,LED,1600X900 Resolution with speakers with 1 VGA, 1 HDMI, (Same make as OEM of Desktop). EPEAT, CE/Indian equivalent of CE, ROHS, TCO	Minimum 19.5 Inch or Higher,LED,1600X900 Resolution with speakers with 1 VGA, 1 HDMI, (Same make as OEM of Desktop). EPEAT, CE , ROHS, TCO	Amended as : Minimum 19.5 Inch or Higher, LED,1600X900 Resolution with speakers with 1 X VGA, 1 X HDMI, (Same make as OEM of Desktop). EPEAT, CE/Indian equivalent of CE , ROHS, TCO
7	Annexure-3: Technical Specifications 1. Desktop Computer Specification:	New Addition Request			The OEM/ Bidder of desktop should undertake that no refurbished component will be used in the quoted products	Amended as : The OEM of desktop should undertake that no refurbished component will be used in the quoted products
8	6.Prequalification/ Eligibility Criteria	OEM Eligibility Criteria	17	Desktop	TOP 3 OEM as per latest IDC Report	Amended as : TOP 3 OEM as per latest IDC Report
9	6.Prequalification/ Eligibility Criteria	OEM Eligibility Criteria	17	Desktop	EOL Certificate for 3 years	Amended as : EOL Certificate for 3 years from OEM.
10	6.Prequalification/ Eligibility Criteria	OEM Eligibility Criteria	17	Desktop	Oem warranty : OEM & Bidders of desktop should undertake that the quoted products are with OEM warranty as per bid requirement and not of bidder.	Amended as : Onsite Warranty should be as per bid requirement - confirmation of same should be submitted by OEM on letter head along with web based Link .
11	6.Prequalification/ Eligibility Criteria	OEM Eligibility Criteria	17	Printer	OEM presence should be in India for atleast 15 years or more. Letter of Incorporation to be attached	Amended as : OEM presence should be in India for atleast 15 years or more. Letter of Incorporation to be attached
12	6.Prequalification/ Eligibility Criteria	OEM Eligibility Criteria	17	Printer	Cartridge type- Composite Toner yield- 1500 pages or	Amended as : Cartridge type- Composite

					higher	Toner yield- 1500 pages or higher
13	6.Prequalification/ Eligibility Criteria	OEM Eligibility Criteria	17	Desktop & Printer	OEM last 5 financial year turnover certificate Upto FY 22-23.	Amended as: OEM last 5 financial year turnover certificate Upto FY 22-23.
14	6.Prequalification/ Eligibility Criteria	OEM Eligibility Criteria	17	Desktop & Printer	Latest List of service centre in OEM Letter	Amended as : Latest List of service centre with documnetary proof and minimum 2 Nos of service centre should be in OEM Letter head for Odisha
15	6.Prequalification/ Eligibility Criteria	OEM Eligibility Criteria	17	Desktop & Printer	OEM should be profit organisation in Last 7 years	No Change
16	6.Prequalification/ Eligibility Criteria	OEM Eligibility Criteria	17	UPS	UPS OEM should have registered office of in Odisha & at least 15 Service Engineers Posted in Odisha	Amended as : UPS OEM should have registered office of in Odisha & at least 15 Service Engineers Posted in Odisha
17	6.Prequalification/ Eligibility Criteria	OEM Eligibility Criteria	17	UPS	OEM should not have a current or previous history of being blacklisted or debarred from business, at any point of time, by any Govt./PSU undertaking	Amended as : UPS OEM should have registered office of in Odisha & at least 15 Service Engineers Posted in Odisha
18	6.Prequalification/ Eligibility Criteria	OEM Eligibility Criteria	17	Printer	Typo error in first point , kindly clarify	Please read as: Printer OEM MAF is required with Back to Back support and EOL cerificate for 3 years in OEM Letter Head.
19	6.Prequalification/ Eligibility Criteria	OEM Eligibility Criteria	17	Local Presence	Typo error kindly clarify , Please add that bidder must have avilability in all the district of Odisha for better support	Please read as: Bidder must have office in State of Odisha , and must have their office along with support engineers in Bhubaneswar and 30 Districts of Odisha. However, if the presence is not there in the state, the bidder should give an

						undertaking for establishment of a project office, within one month of award of the contract and Support engineers in all the districts.
20	UPS specification	Protections	15	It should protect from any input voltage or current spikes, surge	It should protect from input voltage variation	Amended as : It should protect from input voltage variation
21	UPS specification	ISO Certification	18	BIS Certificate, ISO 9001:2015, ISO14001:2015,ISO 27001:2013 , ISO45001:2018, ISO 20000-1:2011 , ISO50001:2018, ISO14025:2006 , TL 9000, FCC	BIS Certificate, ISO 9001:2015,ISO14001:2015,ISO 27001:2012 , ISO 45001:2018, ISO 20000-1:2018 , ISO50001:2018, ISO14025:2006 , TL 9000, FCC	No Change

22	Pre-Qualification Evaluation Criteria	Clause no 6.4	16	<p>The bidder must have successfully undertaken at least the following numbers of similar assignments of value specified herein:</p> <p>One project of similar nature, not less than the amount ₹15,00,00,000/- (Fifteen Crores Only) OR Two projects of similar nature not less than the amount ₹12,00,00,000/- (Twelve Crores Only) OR Three projects of similar nature not less than the amount ₹10,00,00,000/- (Ten Crores Fifty Lakhs Only)</p> <p>“Similar Nature” is defined as: Procurement, Supply, Installation & Commissioning of IT and Non IT Equipment’s under State Govt./ Central Govt./ PSUs/ Govt Autonomous body in last Five years, ending with 31st March, 2023.</p>	<p>We request to consider the similar ongoing projects/assignments as well.</p> <p>Documents to be Submitted: Copy of the Work Order/Ongoing certificate from client along with payment proof Completion Certificates</p>	As per RFP
----	---------------------------------------	---------------	----	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------

23	Technical Evaluation Criteria	Clause no 8.3	16	<p>The bidder must have done Supply, installation and commissioning of any hardware/software/ networking items in last five years, ending with March 31st, 2022 in any State Govt./ Central Govt./ PSUs/ Govt Autonomous body. PO should be in the name of bidder only. Consortium Purchase Orders will not be considered. All the components pertaining to supply of IT and Non-IT equipment should be clearly mentioned in PO.-</p> <p>Equal to 30 Nos of location - 14 Marks More than 30 Nos of location and less than equal to 50 numbers of locations- 20 Marks</p> <p>Supporting Document: Proof of Supporting Documents</p>	<p>We request to revise the clause as follows:- The bidder must have done Supply, installation and commissioning of any hardware/software/ networking items in last five years, ending with March 31st, 2023 in any State Govt./ Central Govt./ PSUs/ Govt Autonomous body. PO should be in the name of bidder only. Consortium Purchase Orders will not be considered. All the components pertaining to supply of IT and Non-IT equipment should be clearly mentioned in PO.-</p> <p>Equal to 30 Nos of location - 14 Marks More than 30 Nos of location and less than equal to 50 numbers of locations- 20 Marks</p> <p>Supporting Document: Purchase order/work order and ongoing certificate with proof of payment/completion certificate.</p>	<p>Amended as: The bidder must have done Supply, installation and commissioning of any hardware/software/ networking items in last five years, ending with March 31st, 2023 in any State Govt./ Central Govt./ PSUs/ Govt Autonomous body. PO should be in the name of bidder only. Consortium Purchase Orders will not be considered. All the components pertaining to supply of IT and Non-IT equipment should be clearly mentioned in PO.-</p> <p>Equal to 30 Nos of location - 14 Marks More than 30 Nos of location and less than equal to 50 numbers of locations- 20 Marks</p> <p>Supporting Document: Proof of Supporting Documents</p>
----	-------------------------------	---------------	----	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

24	Technical Evaluation Criteria	Clause no 8 / Clause no 8(Note)	16	<p>Bidders securing a minimum of 80% marks in the technical evaluation will only be considered for further financial bid evaluation.</p> <p>Note: - All the bidders who secure 70% of total marks or more will be declared as technically qualified and are eligible for financial bid opening.</p>	<p>This is contrary._ We request to please clarify this.</p>	<p>Please read As : All the bidders who secure 80% of total marks or more will be declared as technically qualified and are eligible for financial bid opening.</p>
25	Technical Specifications	Annexure-3	43	<p>600 VA UPS Specifications:- Output Voltage : 180VAC - 250 VAC +/- 10%</p>	<p>We request to revise the specification as follows:- The output should be 230 VAC +/- 10% as per Indian Standard IEC, Kindly change the output voltage</p>	As Per RFP
26				<p>600 VA UPS Specifications:- Certifications : BIS, ISO 9001:2015, ISO 14001:2015, ISO 45001:2018, ISO 20000-1:2011, ISO 27001:2013, ISO 50001:2018 & FCC</p>	<p>We request to revise the specification as follows:- ISO 20000-1:2011- It is related to services & not related to product certification & hence request to remove the same.</p> <p>ISO 27001:2013- It is specific to Cyber Security of data and is not related to product certification hence not applicable for LI UPS so kindly remove the same.</p> <p>ISO 50001:2018- It is Specific to Environment & related to organization & is not Mandatory for any product so kindly remove the same.</p> <p>FCC - Is applicable for product sale in United</p>	As Per RFP

					states, Hence not applicable for India so kindly remove the same.	
27				Battery make: Exide/Quanta/Uplus/NED/Panasonic /Yuasa/Rocket (Battery)	Please add – OEM approved brand/ any reputed brand. As OEM has to own the warranty for 3 years. It will be more effective if the batter brand will be as per OEM .	As Per RFP
28				Web Support: It is mandatory to provide online centralized call tracking system Like OVSD (Open view Service Desk) for monitoring of logged calls viewing through web / windows based access for at least 2 officials.	Please clarify the requirement.	Yes, As Support required at district level .
29	Technical Specifications	Annexure-3	45	Technical Specification of Furniture Table - Length : 900 Depth: 600 Height : 750	Please clarify the requirement. It is not clear whether the table is made of complete wood or iron frame, nothing is given as to the specifications.	Complete Wood / Ply / Iron Frame
30	Desktop Computer Specifications	Annexure -3 Technical Specifications	43	Processor - You have asked for Ryzen 3 Pro 5300 G or Higher	We would request you kindly Clarrify the Processor Ryzen 3 Pro 5300 G or 5350G	Amanded as : Amanded as : Intel Core I3 13100/ AMD Ryzen 3 5300G (or Higher)
31				Cabinet - Tower Form Factor Maximum 16 L	As per the industry standard Tower Cabinet Comes from less than 25 L . It is specific to few OEM . We would request you Kindly amend the Cabinet 25 L onwards	As Per RFP

32				Monitor - Epeat	you have asked in the Monitor CE, ROHS & TCO . TCO Certification measures the product environmental Sustainability .EPEAT also talk about simillar kind of Parameter. WE would request you Kindly remove EPEAT in Monitor	These certificates are issued by Govt or globally reputed agencies & is essential to ensure optimum performance. As per RFP.
33	Chipset Series	Minimum Intel H Series/ Q Series / AMD Pro series or higher	43	Please mentioned as compatible chipset with the above quoted processor or Ammend the clause to "Minimum Intel H Series/ Q Series / B series /AMD Pro series or higher	the Asked "H" series with rest of the configurations is available with single OEM .	Minimum Intel H Series/ Q Series / AMD Pro series or higher we are looking for enterprise level product , kindly participate with above mentioned chipset .
34	Monitor	Minimum 19.5 Inch or Higher,LED,1600X 900 Resolution with speakers with 1 VGA, 1 HDMI, (Same make as OEM of Desktop). EPEAT, CE/Indian equivalent of CE, ROHS, TCO	43	Minimum 19.5 Inch or Higher,LED,1600X900 Resolution with speakers with 1 VGA, 1 HDMI, (Same make as OEM of Desktop). EPEAT, CE/Indian equivalent of CE, ROHS, TCO, monitor power supply must be integrated without any external power adaptor .	we suggest you for mentioned the power supply type as Internal power supply as external adaptor based power supply maybe an issue due to wear and tear of the adaptor power socket , also any patch or cut will not cover the adaptor warranty .	Entire product should be covered in warranty from Quoted OEM (CPU, Monitor , keyboard, Mouse and adapter ,cable)
35	Power Consumption	Maximum Power consumption 260 watt. However, lower consumption is acceptable. Minimum Efficiency 90% or higher	43	Maximum Power consumption 260 watt. However, lower consumption is acceptable. Minimum Efficiency 85% or higher. The current asked Maximum 260 watt and 90 % efficiency is restricting other OEM to particpate and this is specific to one OEM.	The combination of Maximum 260W Power Supply with 90% efficiency is brand specific and there will be only one OEM bidding against this opportunity through multiple partners. Request you to amend this claose to " Minimum Power consumption 260 watt. However, lower	Amanded as: Maximum Power consumption 260 watt. However, lower consumption is acceptable. Minimum Efficiency 85-90% or higher

					consumption is acceptable. Minimum Efficiency 85% or higher"	
36	Certifications for Items	BIS, BEE, EPR, Energy Star, EPEAT Gold India, UL, CE/Indian equivalent of CE, ROHS, Windows	43	BIS / BEE/ Energy Star, EPR, EPEAT India, UL, CE/Indian equivalent of CE, ROHS, Windows and Linux (Ubuntu / Suse / Redhat)	BIS is not mandatory for Desktops as Desktop Computers are specially exempted from the coverage under the Electronics and IT Goods (Requirement for Compulsory Registration) Order, 2012 and Updated (Revision 14): Feb 2019, Request you for removal of BIS and BEE or make as optional so that we can quote. also epeat India gold asked with rest of the configuration is specific to single OEM so please amend it as Epeat India only	As Per RFP

37	Software	<ul style="list-style-type: none"> Windows 11 (Professional) or higher, Open Office. OS must support centralized patch management and automatic update. 	43	<p>Factory Pre-loaded / Pre-install Windows 11 Professional Operating System. Desktop must support both Windows and Ubuntu Linux. OEM letter confirming that Operating system is pre-loaded / pre-installed from OEM factory and is genuine. Such declaration should not be signed by anybody below the rank of Director / Vice president or Power of Attorney holder of the OEM. Details of signing authority like Name, designation, and email ID to be mentioned in the letter for verification. Microsoft bid specific MAF and OEM letter regarding authenticity of OS and confirming that Operating system pre-loaded / pre-installed from OEM factory</p>	<p>This asked will help to quote the genuine operating system other than supply of refurbished operating system</p>	As Per RFP
38	Warranty	3 Years On-Site Warranty	43	3 Years On-Site OEM Warranty (confirmation letter from OEM regarding this must submit along with BID and warranty must be available in the OEM website for 3 years)	<p>This asked will help to get the support directly from OEM in case of Partner unable to support</p>	Onsite Warranty should be as per bid requirement - confirmation of same should be submitted by OEM on letter head along with web based Link .
39	All Components of Same OEM	Hardware's like Desktop, Keyboard, Mouse/Monitor should be of the same OEM	44	Hardware's like Desktop, Keyboard, Mouse, Monitor should be of the same OEM	<p>Mouse / Monitor means, Monitor can offer from different OEM make which will create issue at the time of warranty support.</p>	Amended as: Hardware's like Desktop, Keyboard, Mouse, Monitor should be from same OEM
40				Cabinet - Tower Form Factor Maximum 16 L	<p>As per the industry standard Tower Cabinet Comes from less than 25 L . It is specific to few OEM . We would request you kindly amend the Cabinet 25 L onwards</p>	As mentioned above Tower / SFF both is allowed

41	5.2	5.2.Detailed Scope under this Project	12	Training for teachers/headmaster on how to use and operate each individual hardware set up at schools.	We would request the Department/OCAC to clarify how many teachers/HMs are to be trained for how many days and also where to factor the cost for training	Clause Omitted , Only Hands on training required .
42	6	6. Pre-Qualification / Eligibility Criteria	7	OEM Authorization - Online UPS	We would request the Department/OCAC to clarify the Specifications, Quantity rating of the Online UPS	As Per RFP
43	2	2. Fact Sheet	9	The bidder must have submitted the EMD of ₹ 40,00,000/- (Rupees Forty Lakhs only) in the shape of Bank Guarantee/Account Payee Demand Draft from any Nationalized / Scheduled Commercial Bank in favor of Odisha Computer Application Centre (OCAC) payable at Bhubaneswar. The EMD should be valid for a minimum period of 90 days from the last date of submission of the Bid.	The bidder must have submitted the EMD of ₹40,00,000/- (Rupees Forty lakh only) in the shape of Demand Draft (DD)/Bank Gurantee from any Nationalized/Scheduled Commercial Bank in favor of Odisha Computer Application Centre (OCAC), payable at Bhubaneswar. The EMD should be valid for a minimum period of 90 days from the last date of submission of the Bid	Amended as: The bidder must have submitted the EMD of ₹40,00,000/- (Rupees Forty lakh only) in the shape of Demand Draft (DD)/Bank Gurantee from any Nationalized/Scheduled Commercial Bank in favor of Odisha Computer Application Centre (OCAC), payable at Bhubaneswar. The EMD should be valid for a minimum period of 90 days from the last date of submission of the Bid
44		Battery Make	43	Exide/Quanta/Uplus/NED/Panasonic /Yuasa/Rocket	For 600VA UPS Battery will be inbuilt along with the UPS system.	As Per RFP

Last Date of Submission: 08/03/2024